

General Tools – Air Tools General Tools – Air Tools



Impact Wrench 1/2" Drive

Torque @ 90 psi: 540 Nm

Qty

Qty



PCL Impact Wrench with **Extended Shank** 1" Drive

PCL

Torque @ 90 psi: 2450 Nm



PCL

| Size |
|------|
| 1/2" |





Ratchet

Part No

985522

Part No

985521

3/8" Drive

Torque @ 90 psi: 60 Nm



Size

3/8"

PC



Reversible Air Drill





Die Grinder

Collet Size: 6 mm Free Speed: 22000 rpm



Orbital Sander

Stroke Orbit Size: 8 mm Free Speed: 10000 rpm





Qty

Part No 985525

1





Small, lightweight hand-tool, allowing access to tight. hard to reach places





- Safety lever to prevent accidental start-up
- Very lightweight



Mini Angle Die Grinder

Small, lightweight hand-tool, allowing access to tight, hard to reach places



Allows small areas to be cut or ground away, e.g. areas of heavy rust or dirt penetration



Pa

| art No | Qty | Thread | Part No | Qty | Thread |
|--------|-----|--------|---------|-----|--------|
| 85510 | 1 | 1/4" | 985514 | 1 | 1/4" |

Mini Ratchets

Small, lightweight hand-tool, allowing access to tight, hard to reach places

- 17 Nm of power for easy 'running-up'
- Small size allows operator to reach very tight spaces in the engine bay or underbody work

Otv

Size

1/4"

3/8"



Thread


1/4"


1/4"

PCL

PCL Mini Straight Drill

PCL





Small size allows operator to drill in very tight spaces



| Part No | Qty | Size | Thread |
|---------|-----|------|--------|
| 985512 | 1 | 3/8" | 1/4" |



Blow Gun

Pistol Grip

Part No

985511

985513

Moulded special acetalyc resin to resist damage

. For use with air & water

Maximum Working Pressure: 18 bar (265 psi)

| art No | Qty |
|--------|-----|
| 305132 | 1 |



Pressure Range: 75 - 125 psi

PCL quick release fitting

| Part No | |
|---------|--|
| 940817 | |

Pistol Type

Air Blow Gun

· With extended lance

Length of Lance: 200 mm

Air Inlet Size: 1/4"BSP

Part No

980217

handle & hanging point

Die-cast metal body with moulded

Qty

1

Qty

Size 1/4" BSP

Size


1/4" BSP

Air Blow Gun Long Reach Trigger operated blow gun with

Part No

805113

extended lance



- Supplied with safety nozzle
- Suitable for quick removal of chips, dust & particulate from any surface
- Ideal for use in the workshop or bodyshop
- Long lance allows projection of airflow directly to required area

Length of Lance: 500 mm

Maximum Operating Pressure: 110 psi

| Part No | Qty | Size |
|---------|-----|----------|
| 980218 | 1 | 1/4" BSP |







High quality die-cast alloy



Qty **Part No** 805191



· High quality die-cast alloy




























General Tools – Air Tools General Tools – Air Tools

Air / Hydraulic Riveter

Heavy-duty model suitable for aluminium, steel & stainless steel rivets up to 1/4"



- Trigger operated riveter with hardened steel jaw assembly & rivet shaft safety cap
- Will handle heavy assembly work

Air Consumption: 4.5 cfm Operating Pressure: 90 psi

Weight: 1.6 kg

Part No

Nozzles: 3/32" (2.4 mm), 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 1/4" (6.4 mm)

Qty



Size

1/4" BSP

980192



Chisel Shank Size: 0.401" Parker Taper Speed: 4500 bpm

Stroke: 32 mm Air Consumption:

Operating Pressure:

Weight: 1.2 kg

Par



Contains: Spare Spring Retainer, Weld Buster, Special Panel Cutter, Pointed Chisel, Muffler Tail Pipe Remover, Cold Chisel

| rt No | Qty | Size |
|-------|-----|----------|
| 0195 | 1 | 1/4" BSP |



- · Palm control trigger mechanism
- Replaceable scaler needles
- Suitable for cleaning heavy paint & rust scale from metal surfaces

Stroke: 32 mm

Free Speed: 4800 bpm Air Consumption: 3 cfm Operating Pressure: 90 psi



Weight: 1.2 kg

Part No Qty Size 1/4" BSP 980198

Qty

5

Air Rotary Cut-Off Tool

Versatile tool, suitable for cutting car panel thickness material.

Cutting disc not included

- Fitted with metal safety guard & throttle safety device to prevent accidental operation
- Ideal for cutting exhaust brackets

Disc Size: 75 mm diameter x 2 x 10 mm Free Speed: 20000 rpm Air Consumption: 4 cfm Operating Pressure: 90 psi Weight: 0.8 kg



Air Saw Blades

HSS air saw blades suitable for all leading makes of air saw

Part No

980206 980207



| Br | | |
|----|--------|--|
| | Pitch | |
| | 18 tpi | |
| | 24 tni | |

Part No Otv Size 980200 1/4" BSP

Generation Air Rotary Cut-Off Tool

Powerful generation series air cut-off tool

- Contoured handle insulates user from chill & vibration
- Metal disc guard & rear air exhaust can be rotated 360° giving operator added protection
- Includes 4-position air valve & throttle safety device
- Supplied with cutting disc
- Ideal for cutting exhaust brackets

Disc Size: 75 mm diameter x 2 x 10 mm Free Speed: 20000 rpm Air Consumption: 4 cfm

Qty

1

Operating Pressure: 90 psi Weight: 0.9 kg

Part No

980201

Spray Gun

Suction Feed

feed pot

base coats

Adjustable paint flow &

fan width controls

screw type suction

Suitable for use with

water based paints

Standard Set-Up: 1.5 mm

Air Pressure: 50 psi

Pot Capacity: 800 ml

Part No

980185

Available Set-Ups: 1.2, 1.8, 2.0. 2.2. 2.5 mm

Air Consumption: 5-11 cfm

Ideal for applying

Supplied with aluminium



Size

1/4" BSP

Reciprocating Air Saw

- · Fitted with safety-trigger device
- Supplied with a starter pack of
- Suitable for a variety of bodyshop applications such as cutting through panels, sills, chassis members, etc
- Excellent for initial crash-repair preparation when quick removal of damaged panels is required

Maximum Cutting Capacity: 2 mm (Steel), 2.5 mm (Aluminium) Free Speed: 10000 spm

Stroke: 10 mm Air Consumption: 6 cfm Operating Pressure: 90 psi

Weight: 0.6 kg

Part No

980205



Size 1/4" BSP

Paraffin Spray Gun

Qty

Metal tank & tube with adjustable spray / jet nozzle

- Suitable for applying degreasant & cleaning agents
- Ideal for cleaning wheels
- Excellent in the engine bay



Size 1/4" BSP

Underbody Coating Gun

Qty

1

· Accepts most popular types of 1 Itr coating tins

Air Operated Air Pressure: 90 psi Air Consumption: 10cfm



| Qty | Part No | Qty | Size |
|-----|---------|-----|----------|
| 1 | 980190 | 1 | 1/4" BSP |








































Air Hose Connector

Z-Swivel

Suitable for all air tools with 1/4"BSP connection



Fitted with air valve for extra control over speed of power tool

Qty


Air Inlet Size: 1/4" BSP Female Air Outlet Size:1/4" BSPT Male





Part No

Air Regulator

Heavy-duty aluminium alloy valve assemblies







Filter regulators are suitable for direct mounting onto compressors or can be plumbed into air line runs






Outlet Qty: 1





Regulator / Lubricator

Heavy-duty Suitable for most workshop air supply set-ups



- Regulator assembly features locking control knob for pre-setting air pressure
- Large, easy-to-read pressure
- Filter is fitted with automatic
- Lubricator includes oil/air mix control & sight glass
- Filter & lubricator are fitted with protection bowl cage
- Supplied with 1/2" Male-1/4" Female adaptors & wall bracket



Maximum Supply Pressure: 150 psi Maximum Outlet Pressure: 125 psi

Maximum Airflow @ 100psi supply pressure: 28 cfm

| rt No | Qt |
|-------|----|
| 0215 | 1 |

Universal Service Tyre Pressure Gauge

Dual calibrated: 10 - 160 lbf/in2 & 0.8 - 11.0 bar



PCL

PCL

| art No | Qty |
|--------|-----|
| 305188 | 1 |



With Angled Head

Dual calibrated: 6 - 50 lbf/in2



| Part No | Qty |
|---------|-----|
| 805187 | 1 |

Pocket Service Tyre Pressure Gauge

Dual calibrated: 10 - 120 lbf/in2 & 0.8 - 8.2 bar



| Part No | Qty |
|---------|-----|
| 805160 | 1 |

PCL Tyre Inflators

Economy Tyre Inflator

General purpose tyre inflator

- · Rubber protected gauge
- Euro style tyre valve connector with 0.5 m of air hose

Gauge diameter: 63 mm **Dual calibrated:**

0 - 170 lbf/in2 in 2lb units 0 - 12 bar in 0.1 units

Part No 805192

Digital Hand Held Tyre Inflator

Qty

Qty

- · Light weight
- Shock resistance
- Easy to read digital display

Maximum inflation pressure: 12 bar

Resolution: 0.01 bar

Inflation flow @ 13 bar supply: 910 I/min

Operating temperature: -20°C to 60°C

Part No

805193

Dial Type Tyre Inflator

- Fast inflation / deflation rates
- Shock resistance
- Clear dial display

Maximum inflation pressure: 12 bar Resolution: 0.01 bar

Inflation flow @ 13 bar supply: 910 I/min

Operating temperature: -20°C to 60°C

Part No Qty 805194

Tyre Tread Depth Gauge

• 1.0 - 6.0 mm markings



PCL Dial Tyre Pressure Gauge

Twin hold-on (open end)

Dual calibrated: 0 - 170 lbf/in² & 0 - 12 bar



Part No Qty 805189

Digital Tyre Pressure with Depth Gauge



90 second auto power off function

Calibration: 0 - 100 psi & 0 - 0.8"



Tyre Valve Connectors Twin Clip-On

· Open End

Part No Otv 805128

Twin Hold-On

Open End

Part No Qty 805115

Twin Hold-On

Closed End

Qty **Part No** 805116

PCL Single Clip-On

Open End

6.35 mm (1/4") bore hose tail piece

Qty **Part No** 805114















































Tyre Valve Tool

- Re-threads the inside & outside threads of the valve stem
- · Removes valve cores & extracts damaged cores



FCL E35 Foot Pump

- Preset dial gauge Single steel barrel
- Complete with air bed, cycle valve & football adapters

Part No

805184



PCL



| Part No | Qty |
|---------|-----|
| 805134 | 1 |
| | |







- · Extremely robust aluminium body with protective rubber bumper
- · Small 'stubby' body is the lightest metal bodied digital inflator on the market
- · Higher pressure range for multiple applications: 4 250 PSI
- · Permanently backlit in use, auto off after 10 seconds no use
- . IP54 can be used indoors and outdoors.
- Calibration: 4 250 psi / 0.3 17.2 bar / 30 1723 kPa



| • | Battery type: | 2 x AAA (Supplied) |
|---|---------------|--------------------|
| | | _ |

| Part No | Qty | Туре | Hose Size |
|---------|-----|----------------|------------------|
| 805230 | 1 | Twin Hold-On | 0.53 m / 21" |
| 805233 | 1 | Single Clip-On | 0.53 m / 21" |
| 805236 | 1 | Twin Clip-On | 1.8 m / 6 ft |
| 805239 | 1 | Single Clip-On | 1.8 m / 6 ft |



Valve Mounting Tool

· Screw on

Part No

405210

Valve Core Screwdriver

· Nickel plated

Part No

405211

- Plastic handle
- To remove seized core



Qty



Qty 5



· Wooden handle



| () | | Street Street |
|-----|----|--------------------|
| | | THE PARTY NAMED IN |
| | | - |
| | | 1 |
| | | |
| | 0. | |

| Part No Qty | |
|-------------|--|
| 405212 1 | |

Tyre Patch Stitcher

· Wheel Size: 35 mm



| art No | Qty |
|--------|-----|
| 405213 | 1 |

Rotary Mill Cutter

Steel





Spherical rasp







Contains various shapes & lengths



Wheel Weight Pliers

Fits & removes wheel weights



| Part No | Qty | Part No | Qty |
|---------|--------------|---------|-----|
| 985590 | 10 Piece Set | 405216 | 1 |

Wheel Chocks

Durable rubber

Part No



Commercial Wheel Braces

· 'L' shaped two piece brace & extension sets




| 405217 | | 1 | Pair | |
|--------|--|---|------|--|
| | | | | |


Qty

Extending Wheel Wrench 1/2" Drive - 'L' Type

• Extends to 530 mm (21")

Rubber grip





| Part No | Qty | |
|---------|-----|--|
| 985320 | 1 | |
| | | |



| Part No | Qty | Size |
|---------|-----|------|
| 405220 | 1 | 16" |
| 405221 | 1 | 29" |
| | | |

Size Part No Otv

| 705220 | 2 Piece Set | 3/4" Whitworth (33 mm) |
|--------|-------------|------------------------|
| 705221 | 2 Piece Set | 15/16" AF (24 mm) |
| | | |

705222 2 Piece Set 27 mm

Tvre Probe





3 scraping positions for removal of grime & debris enabling detection of deteriorating or corroded brake pipes

MOT compliant & VOSA approved

Suitable for service maintenance & pre-MOT inspection

| Part No | Qty |
|---------|-----|
| 405222 | 1 |











































Valve Repair Tool

Wheel Nut Removal Set

Removes most types of wheel lock nuts, rounded wheel nuts &

Recommended for use with an

Can be used to remove up to two sets

Adjustable Cylinder Hone

50-180 mm (2-7") bore diameter

Replacement Stones

 4" medium grade stones Suits 940720

· Supplied with 4" medium grade

Qty

Qty

Qty

4-Way

Part No

405199

As used by the AA & RAC

McGard style nuts

Replacement Blade

For McGard style nuts

of wheels

Part No

940766

Capacity:

stones

Part No

940720

Part No

940721

air impact gun

Part No

940765





For testing hot or cold ethylene / propylene glycol based

Type

Type

Propylene

Ethylene

Part No 405223

Pro Anti-Freeze Tester

automotive anti-freeze & coolant

Qty

Qty

Anti-Freeze / Coolant Tester

Qty

Qty

For testing hot or cold ethylene

glycol based automotive

Battery Acid Tester

For checking specific gravity of

anti-freeze & coolant

Part No

940711

Part No

940712

General use

Part No

895139

General use

battery fluid

Part No

295230



/ external threaded caps & large / small bayonet fittings for most popular European / Japanese cars / LCVs

Includes 4 additional adaptors for later Alfa Romeo, Fiat, Lancia GM / Opel, Mazda, Mercedes, Saab, Toyota models



• Pump unit with pressure gauge 0-35 psi (0-2.5 bar)

Diesel Compression Master Set

· Flexible hose with quick release fitting

Part No Qty 940707

1000 psi pressure gauge with

Supplied with a comprehensive

set of dummy glowplug & injector

adaptors to cover a wide range of

popular automotive, agricultural & marine applications

Glowplugs: Alfa, BMW, Chrysler, Daewoo, Fiat, Ford, Hyundai, Isuzu,

Mitsubishi, Nissan, Opel, PSA,

Clamp-On Injector Adaptor Set

Stud Extractor Set

Part No

940714

1/2" Drive

Part No

940722

Sizes: 6, 8, 10, 12 mm

· Concentric roller action

Land Rover, LVD, Mazda, Mercedes.

Renault, Saab, Suzuki, Toyota, VAG, Vauxhall, Volvo, etc Injectors: M20, M22, M24, Ford Stanadyne

Qty

straight & right angled quick release





Part No Qty 940713 1

Engine Pulley Puller Set

Auxiliary Belt Replacement Tool

For removing & installing new elastic flexible self tensioning V-ribbed belts.


Suitable for Ford / PSA engines Citroen C4

Focus C-Max 1.8, Transit 2.0 DI

2.0), V (1.8, 2.0)







(with pressure relief valve & quick 1/4" BSP)

Threaded Adaptors: M10, M12, M14, M18

Selection of Spare Parts

Part No 940706 1


Peugeot 307

Fiat Doblo, Stilo 1.6

Ford Fiesta V. Fusion (1.25, 1.4, 1.6).

Mazda II (1.25, 1.4, 1.6), III (1.4,





| Part No | Qty |
|---------|-----|
| 940715 | 1 |

Petrol Engine Compression Set

Includes: Gauge: 60 mm 300 psi release adaptor), 35 mm 200 psi (with 200 mm hose - M14, M18

Hose Connectors (x4)



Qty

Includes various adaptors & hose connectors for use on modern Schrader test port systems with 7/16" (20 threads) & 0.308" (32 threads)

• 1000 kPa / 145 psi gauge with pressure relief valve & long drain hose

Qty

| Part No | Qty |
|---------|-----|
| 940705 | 1 |














































Alternator Pulley Tool Set

· Interchangeable parts suitable for use on Audi, BMW, Fiat, Ford, Mercedes, Renault, Seat, VW





Qty

Cylinder Head Bolt Set

1/2" Drive

Spline: M10 x 140, M14 x 100 mm Ribe: M10 x 140, M12 x 65,

M12 x 120 mm E12 x 140. 10 mm hex x 140. T60 x 140 (12pt)




Suitable for Audi / VW, BMW, Fiat, Ford, GM, Jeep, Mazda, Mercedes, Nissan, Renault, Rover, Volkswagen

Qty

1



Lambda Socket Set



Part No

Part No

940723

Sizes: 22 (7/8"), 27, 29 mm 1", 1 1/16"





Glowplug Socket Set 3/8" Drive

Part No

940724

Sizes: 8, 10, 12 mm

· Universal joint sockets



940726



Double ended to cover a wide range of car & light commercial applications

Hexagon: 5/16" (8 mm) x 9 mm. 10 x 12 mm, 14 x 17 mm

Square: 8 x 13 mm, 3/8" (10 mm) x 11 mm



Part No 940730

Qty

Qty

Strap Filter Wrench

Heavy Duty

- Extra wide strap

940739





Part No 3 Piece Set 940729

Drain Plug Key Set

Chrome vanadium steel keys

With a sliding T-bar for use on engine sumps. gear box & back axle drain plug applications on many cars & LCVs

Male Square: 7, 8, 10, 13.1, 14 mm, 5/16", 3/8"

Male Hexagon: 8, 9, 10, 12, 14. 17 mm

Star: T45

Female Square: 10 mm

Triangle: 10 mm 1/2" Drive Sliding T-Bar

Part No Qty 940731

Oil Filter Wrenches

180° Swivel



| Part No | Qty | Diameter |
|---------|-----|--------------|
| 940735 | 1 | 50 - 65 mm |
| 940736 | 1 | 65 - 83 mm |
| 940737 | 1 | 75 - 95 mm |
| 940738 | 1 | 100 - 115 mm |

Oil Filter Pliers



| Part No | Qty | Size | Diameter |
|---------|-----|--------------|-------------|
| 940740 | 1 | 250 mm (10") | 45 - 89 mm |
| 940741 | 1 | 300 mm (12") | 54 - 108 mm |

Brake Piston Wind Back Tool

Suitable for Audi, Fiat Uno / Tipo, Ford Sierra ABS (rear), Honda Prelude, Jaguar XJ40, Lancia Dedra / Thema, Nissan Silvia 1.8 Turbo, Peugeot 306 / 307 / 405 / 407 / 605. Renault Master, Rover 800, Saab 9000, Seat Toledo, Subaru L, Volvo S40 / V40



| Part No | Qty |
|---------|-----|
| 940744 | 1 |

Disc Brake Piston Spreader

· For push-back type systems



| art No | Qty |
|--------|-----|
| 940749 | 1 |

Brake Flaring Tool with Rotating Turret

To produce single 3/16" DIN & double 4.75 mm SAE flares.


 For thin wall copper, cupro-nickel & steel brake pipe

| Part No | Qty |
|---------|-----|
| 940750 | 1 |

Brake Service Set

Right & Left Hand

Comprehensive brake servicing kit for use when replacing worn brake pads on both push-back & windback calipers



12 mm Hex


GM (USA): 48, 54, 64 mm

Pins: 2, 3, 4

Drive Screw (with 22 mm hexagon body & 2 pin magnetic Drive system (Left & Right hand))

| Part No | Qty |
|---------|--------------|
| 940746 | 21 Piece Set |

Vacuum Brake Bleeder



Simple one man operation provides quick, clean & efficient operation without the need for multiple brake reservoir caps for different applications



| art No | Qty |
|---------------|-----|
| 140752 | 1 |









































Brake Cylinder Hone

4-in-1

Small Brake Cylinders: 18-64 mm (twin leg, 1 1/8" stones, medium collar)

Brake / Clutch Cylinders: 19-68 mm (small triple leg, 1 1/8" stones, medium collar)

Disc Calliper Cylinders: 18-64 mm (large triple leg. 3/4" stones, large spring)



Clutch Alignment Tool

Part No

940753

4 piece multi-



1/2" Drive Wheel Nut Tool Set

Ball Joint Separator Set

Forged steel body with hardened screw

Sizes: 23 x 54. 27 x 54. 34 x



| art No | Qty |
|--------|-------------|
| 940771 | 3 Piece Set |

Commercial Type

For HGVs & commercial vehicles Heavy duty heat treated drop forged steel body

34 mm hexagon drive bolt

Jaw Width: 36 mm Jaw Depth: 44 mm



Qty

1

| fit clutch mandrel machined from steel | Part No | |
|--|----------------|--|
| | 940772 | |

Ball Joint Separator

For cars / light commercial steering & suspension joints

Jaw Opening: 30-58 mm Jaw Width: 22 mm Jaw Depth: 32 mm



| Part No | Qty |
|---------|-----|
| 940773 | 1 |

Lock Nut Removal Tool Set

Qty

1/2" Drive

Part No 940759

Special reverse left hand threaded sockets for removing damaged nuts & studs

Sizes: 17, 18.5, 20, 21.5, 23, 24.5, 26 mm



Suitable for use on some security locking wheel nuts where the key has been lost or damaged



Fork Type

Extra long drop forged ball joint separator for car & light commercial ball joints, track rod ends etc

400 mm (16") length

Jaw Width: 18 mm



Warning: Fork type separators should not be used if the ball joint is to be re-assembled as the ball joint rubber may be damaged

| Part No | Qty |
|---------|-----|
| 940774 | 1 |

Coil Spring Compressor

For the stripping & replacement of Macpherson strut & standard coil springs

- · Double hook pattern
- Set of two, with drop forged arms
- 1/2" square drive & 13/16" A/F drive nut
- Only suitable for use on earlier vehicles



Bearing Separators:

30-55 mm (diameter) x 170 mm (reach). 70-90 mm (diameter) x 220 mm (reach) Beam: 160 mm

blow mould case

Thrust Bolt: 180 mm

Extension Bars: 105 mm (x4),

Bearing Separator Set

130 mm (x4)



Slide Hammer / Puller Set

Professional quality for general & automotive use

Internal:

2 leg (35-110 mm x 82 mm reach), 3 leg (50-135 mm x 82 mm reach)

External:

2 leg (50-140 mm x 75 mm reach), 3 leg (20-135 mm x 75 mm reach)

Slide Hammer: 6 kg x 570 mm

Pullers: Hub, Dent, Lip



Hydraulic Puller Set

A comprehensive master set of two & three leg pullers with a forged steel bearing separator

10T Hydraulic Ram (1.5" fine pitch thread)

Nosepiece (with 2" & 4" Extension Pieces)

Position Heads: 2.3

Boss: 1.5"

Forged Alloy Steel Legs

(75-105 mm): 4" (x3), 6" (x3), 8" (x3)

Bearing Separator (with Beam): 75-105 mm Main Rods (with Extension Rods 75-105 mm)

| Part No | Qty | Part No | Qty |
|---------|--------------|---------|-----|
| 940778 | 11 Piece Set | 940779 | 1 |

5T Universal Hub Puller

- For 4 / 5 stud hubs (95 - 128 mm)
- High tensile forcing screw
- Suitable for use with 940781



Slide Hammer

Suitable for use with 940780



| Part No | Qty | Size | Part No | Qty | Size | Weight | Length |
|---------|-----|----------|---------|-----|----------|--------|--------|
| 940780 | 1 | 5/8" UNF | 940781 | 1 | 5/8" UNF | 4 lb | 600 mn |









































Panel Trim Removal Set

Designed to aid in the easy removal of door trim panel, trim fasteners & mouldings etc

including facia, hand brake gaiters & many other internal & external vehicle trims



· Supplied in wallet roll



Part No Qty 940787

Trim Removal Tool Set

A set of tools for removing plastic

upholstery panels, door trims, access

· Suitable for removing other car fittings, clips, trims, etc

Pro Wiper Arm Puller

retaining clips from vehicle

points etc

Part No

940788



Part No Qty Size 120 mm 940786

Door Trim Panel Removal Tool

For removing car trim panel retaining clips etc



Part No Qty 940792

Radio Removal Tool Set

For removal of radios for servicing etc








Also suitable for use on some battery terminals & alternator bearings



Qty **Part No** 940795

Part No Qty 940793

Universal Lock Out Kit



Qty



Part No Qty 940794



For adjusting headlamp alignment

Sizes: star 25 6. 7 mm hex

 2 position magnetic handle / bit holder & three 300 mm long blades



Part No Qty 940797 4 Piece Set

Automotive Test Lead & Crocodile Clip Set

Set of 1.35 m automotive test leads with 4 mm diameter banana style connectors.



Suitable for use with most multimeters & analysers



Mini Pick & Hook Set

Types: Straight, Hook, 90°, 0-Ring



Part No Qty 940801

940802

Power Bar 1/2" Drive

· Supplied with impact quality head



| 940806 1 23 r | nm | 24" |
|----------------------|----|-----|

MOT Corrosion Assessment Tool

VOSA MOT approved

Improved design helps prevent cracking & breaking when accidentally dropped



| Part No | Qty |
|---------|-----|
| 940798 | 1 |
| | |

Accelerator / Brake Pedal Tool

Locates against the driver's seat front to allow the pedal to be precisely held in position

· Ideal for MOT & general diagnostic work

Allows the engine speed to be accurately maintained

Also suitable for one man brake bleeding operations

Qty **Part No**

Screw Extractor Set

3/8", 5/16", 15/64", 3/16", 1/8

Chrome molybdenum steel



| Part No | Qty |
|---------|-----|
| 940818 | 1 |













































Bolt Grip Expansion Set

3/8" Drive



Sizes: 8 mm (5/16"), 10 mm (3/8"), 13 mm (1/2"), 11/16", 19 mm (3/4")





BOA Bolt Removal Set

Axle Stands

periods of time

980126

Part No

980126

980127

Load Sling

Heavy-duty axle stands to safely

Heavy gauge steel frame &

welded construction gives

superior strength & safety

Combined Capacity: 6 tonne

Minimum Height: 290 mm

Maximum Height: 433 mm

Large saddles for good load distribution

Otv

2

2

Manufactured from 100% high strength

polyester with reinforced lifting eyes

Safe working load ratings quoted are

for a load between the loop eyes (U

configuration) & a load at one end

support vehicles for extended

Part No 940819 5 Piece Set **Part No** Qty 940820 4 Piece Set

All stands feature captive, multi-position pin load support

980127

Combined Capacity: 12 tonne

Minimum Height: 362 mm

Maximum Height: 565 mm

Capacity

3 tonne each

6 tonne each



Bottle Jack

Ideal for Land Rovers, vans & light trucks

- Cast base with threaded components for easy disassembly
- Fully tested & fitted with overload valve to comply with the latest CE regulations
- · Fitted with carrying handle
- Service kits readily available



Hydraulic Lift: 150 mm Screw Extension: 80 mm

Part No Qty **Capacity** 1 10 tonne 980125



Mechanic's Mat Sets

Quality EVA mats ideal for the busy mechanic



Part No Otv Size

Also ideal for roadside repairs



(straight configuration) Weight for weight, straps are 3-5

times stronger than chains Overload can be detected early by

the fraying of the straps

Safe Working Load U: 6000 kg

Lenath: 3 m

Safe Working Load Straight: 3000 kg

Colour coded according to European standards for identifying their capacity

Kneeler Mat - 385 x 280 x 22 mm. 980135 2 Full Length Mat-890 x 390 x 22 mm Kneeler Mat - 450 x 215 x 28 mm. Full Length Mat-980 x 380 x 980136 2

28 mm

Part No Qty 980140

Trolley Jack

Standard Chassis

Single-piece hydraulic unit with heavy base design

- · Includes integral American cogtype release mechanism & long two-piece handle
- Heavy-duty castors & extra-large saddle design ease positioning under vehicle
- Fitted with safety overload valve & pump-through valve to prevent handle locking at maximum ram

Minimum Saddle Height: 145 mm Maximum Saddle Height: 490 mm Maximum Chassis Height: 154 mm

Length: 685 mm Weight: 38 kg

Part No 980122

Qty

Capacity 3 tonne

Part No 980121

Length: 540 mm

Weight: 25 kg

Trolley Jack

Short Chassis

two-piece handle

Features American cog-type integral

handle release mechanism with long

· Short chassis design with heavy-

the jack under the load

recovery vehicle use Minimum Saddle Height: 132 mm

duty castors assist in positioning

Fitted with safety overload valve

Compact design makes this jack

equally suitable for workshop or

Professional & fully portable

Maximum Saddle Height: 440 mm

Maximum Chassis Height: 135 mm

Qty 1

2 tonne

Capacity

Trolley Jack

Long Chassis

High capacity portable garage jack for serious hobby or recovery vehicle use

Supplied with one-piece pumping handle with rubber grip

Tough pump bracket & heavy-duty one-piece hydraulic unit with safety overload valve

Minimum Saddle Height: 130 mm

Maximum Saddle Height:

435 mm Maximum Chassis Height:

Length: 625 mm

Weight: 19 kg

Part No Qty Capacity 1 980120 3 tonne

Trolley Jack Rocket Lift

Single-piece hydraulic unit with heavy base design

- · Includes integral American cog-type release mechanism & two-piece
- Integral saddle pad provides protection for the jacking point
- Heavy-duty castors & 55mm wide front wheels for even load distribution
- Super rocket lift feature brings lifting arm straight into contact with jacking point with a single pump of the handle

Minimum Saddle Height: 145 mm Maximum Saddle Height: 504 mm Maximum Chassis Height: 163 mm

Length: 690 mm Weight: 36 kg

Part No 980123

Qty 1

Capacity 3 tonne

Composite Creeper

One-piece, moulded, high impact polymer creeper

- · Two integral tool trays & padded headrest
- Low profile for greater under vehicle clearance
- Six 75 mm diameter castors for easy manoeuvrability

Part No **Otv** Size

980130 1000 x 480 x 115 mm









































Lever Grease Gun

Heavy Duty



- · With rigid tube & four-jaw connector
- Takes cartridges (400cc) or bulk grease (500cc)



Qty **Part No** 635170



Grease Gun

Air Driven

· Rigid stem

635200

- Four iaw connector · Bulk fill or cartridge
- 120 psi, max 6 Bar



Part No Qty

Mini Grease Gun

Mini push action hand greaser

grease are required

Delivery per Stroke: 0.9 cm³

Overall Length: 270 mm

Capacity: 125 cm3 Delivery Pressure: 1000 psi

· Rigid extension tube & delivery

Ideal for limited access areas or where smaller amounts of



- Side lever
- Takes cartridges (400cc) or bulk grease (500cc)



Grease Gun

Pistol Type

Pistol style gun with contoured pump handle

- Die-cast pump head with air-bleed valve
- 3-way fill with cartridge, bulk or manual capability
- Supplied with rigid extension tube & push-on hydraulic 4-jaw
- Can be used as pistol or straight type grease gun
- Accepts standard 400g

cartridges Capacity: 500 cm³ Delivery Pressure: 4500 psi

Delivery per Stroke: 1.25 cm3 Part No.

980161

Qty 1

Part No 980160

Rotary Oil Drum Pump

Qty

- Cast steel body, suitable for oils, antifreeze, degreasants & other non-corrosive fluids
- . For up to 205 ltr drums
- · Supplied with 2"BSP adaptor

Delivery: 0.3 ltr/rev (approx)

440

Part No Qty 980162



- Composite pump with self-priming



Grease Pump

High Pressure

For mounting directly onto original grease kegs

- Equipped with cover
- Pump adapter
- Follower disc
- Handle & 1.5 m hose
- For 12.5 kg kegs
- Connector tube with 4-jaw hydraulic connector

Maximum Pressure: 350 bar

Part No

635251

Delivery Stroke: 2 cc

Piston Oil Pump

Piston gear & lube oil pump

For most 20 & 25

Complete with DIN 61

drum adaptor, 1.7 m

hose & shut-off nozzle

Displacement Pump

· Fitted with anti-drip nozzle, 2"BSP

adaptor & dip-tube

For 205 ltr metal drum

other non-corrosive fluids

Delivery: 250 ml/stroke (approx)

Self-priming, piston-less, displacement pump

Suitable for oils, antifreeze, degreasants &

litre drums

Part No

635255

Part No

980164

Heavy-Duty

Qty

Qty

Qty

1 Set

Drum Pump

Lever Action

- For 50 205 ltr drums
- Steel pump body
- · Delivery spout
- Telescopic suction tube
- Transfers all types of light lubricants & other non-corrosive fluids

Delivery: 0.45 l/stroke (16 l/min)

Part No

635252

Delivery: 25 cc/rev

Cast iron pump

Part No

635259

Self-priming pump with

universal adaptor

• Includes 1500 mm of hose &

Suitable for pumping gear-oil

or other products with a similar

polypropylene body

viscosity

Rotary Barrel Pump

Dispenses higher volumes than

standard lever pumps

For lube & diesel fuel only



Qty

Qty

2 Piece Set



































Qty **Part No** 980165

Gear Oil Transfer Pump

Syphon Pump

- For 60 205 ltr drums
- Suitable for oils & nonaggressive chemicals

Delivery: 12 ltr/min

Qty





Oil Suction Gun

- Galvanized
- Zinc end caps
- 350 mm flexible hose







Oil Syringe

Chromed steel suction tube with T-bar type plunger

- · Supplied with 200 mm flexible suction hose
- Particularly useful for removal of oil from gearboxes & differentials



Qty **Size** Part No 980166 500 ml

Emergency Fuel Transfer Pump

Easy-to-use compact syphon pump with self-priming feature

· Suitable for light oils & non-aggressive chemicals



Part No Qty Length 980168 170 cm

Fuel Delivery Nozzle

Manual

Die-cast aluminium body & trigger assembly

Nozzle Outside Diameter: 1"

Inlet Size: 1" BSP

Maximum Flow Rate: 120 ltr/

- Supplied with swivel connector
- Suitable for use with diesel & leaded petrol

| · | |
|---------|-----|
| Part No | Qty |
| 980167 | 1 |

Transfer Pump

Submersible

Voltage: 12v

Current: 4.5 amp

Duty Cycle: 15 min

Robust & compact portable pump for use with diesel. non-aggressive chemicals & fresh or dirty water

- Supplied with a 3 m outlet hose & stainless steel nozzle plus a 4 m battery cable with clips
- Will fit through a 54 mm
- diameter aperture to allow emptying of containers
- End cap can be unscrewed for periodic cleaning of the filter
- 'Suitable for re-fuelling / fluid transfer of plant, agricultural & marine equipment on site Low voltage



Part No 980169

Wera Supadriv Bits



Part No Qty 985680 3 PZ 3 x 50 mm

Drive Combination Bit Set

3/8" & 1/2"

. 10 mm bit holders

Hex Bits (30 & 75 mm): 4. 5. 6. 7. 8. 10. 12 mm

12 pt Spline Bits (30 & 75 mm): M5, M6, M8, M10, M12

Star Bits (30 & 75 mm): T20, T25, T30, T40, T45, T50, T55, T60

Bit Holders (10 mm): 1/2" Drive, 3/8" Drive

Part No 940804

Qty 42 Piece Set

MARKET THE THREE

Security Bit Set

Bit Holder: 60 mm

Bits: Torg. Spanner, Tri-Wing. Tamperproof Star Hexagon

· Chrome vanadium steel

Part No 940809 **Otv**

33 Piece Set

Impact Spline Bit Set

VAG models

Hubs), 14 mm (VW LT / Transporter Ball Joints), 16 mm Tamperproof Spline (VW Sharan rear Hubs), 18 mm Tamperproof Spline (VW Golf Rear Hubs)

Part No 940810

4 Piece Set

Impact Driver & Bits Box Set

Driver, 1/4" Bit Adapter 1/4" Bits: PH1. PH2. PH3. PH4

4. 5. 6. 8 mm hex

5. 6. 8. 10. 12 mm flat



Combination Bit Set

- Professional quality
- 25 x 6 mm hexagon S2 chrome vanadium steel bits



Flat Bits: 3, 4, 4, 5, 5, 6, 6.5, 7, 8 mm

PH0, PH1, PH2, PH3 PZ0. PZ1. PZ2. PZ3

Hexagon Bits: 1.5, 2, 2.5, 3,

4, 5, 5.5, 6, 8 mm

1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"

Tamperproof Hexagon Bits: 2, 2.5, 3, 4, 5, 6 mm

Spline Bits: M5. M6. M8

Star & Tamperproof Star Bits (for Torx type fasteners): T8, T10, T15, T20, T25, T27, T30, T40

Star Plus Bits (for 5-point Tamperproof Torx type fasteners): $T10,\,T15,\,T20,\,T25,\,T27,\,T30,\,T40$

100 Piece Set

Square Bits: 0.1.2.3.4 Spanner Bits: 4, 6, 8, 10 mm Torq Bits: 6, 8, 10 mm

Part No

940808

security bit set

Accessories:

Tri Wing Bits: 1, 2, 3, 4 mm 1/4" Drive Bit Adaptor: 25 mm Magnetic Bit Holder: 60 mm

Comprehensive high quality chrome vanadium steel driver &

Suitable for a wide variety of

1/4" Square Drive Socket Adaptor (x2)

Magnetic Extension / Bit Holder,

1/4" Square Drive Extension.

Supplied in storage case

applications

Quick Release Magnetic Bit Holder: 60 mm

Power Tool Security Bit Set

Chrome molybdenum impact quality M12 spline bit sockets for use on

Sizes: 12 mm (VW Touran Rear

Accessories: 1/2" Drive Impact

Part No

985597





15 Piece Set

Bits: TRX-Star Security (x9), TRX-Star (x9), Hex - Metric (x9), Imperial (x9) Slotted Screwdriver (x9), Pozi Screwdriver (x8), Phillips Screwdriver (x8), Hex Security - Metric (x6), Imperial (x6) Tri-Wing (x4), Square (x4), Spanner (x4), Torq (x3), Spline (x3), Butterfly (x3), Special Hook Bit

Part No

980102

Qty 100 Piece Set











































1-For-6 Screwdrivers

Features a patented tip design











Boxed Sets

| Part No | Qty | Length |
|---------|-------------|---|
| 985005 | 3 Piece Set | Blade: 25 , 100, 200 mm Standard |
| 985006 | 4 Piece Set | Blade: 25 , 100, 200 mm Standard. 100 mm VDE |



Deep Impact Socket Set

1/2" Drive



940803

10, 11 (7/16"), 12, 13, 14, 15, 16 (5/8"), 17, 18, 19 (3/4"), 21, 22 (7/8"), 24, 27 (1 1/16"), 30 (1 3/16"), 32 mm

Socket Rail Set

Rails: 430 mm (x5)



- · Chrome vanadium steel, with black industrial finish
- Surface drive 6-point hexagon sockets with dual size marks

16 Piece Set

| Part No | Qty | |
|---------|-----|--|

Alloy Wheel Nut Sockets 1/2" Drive

Chrome molybdenum steel

Protective outer sleeve reduces the risk of damage / marking the alloy wheel surface



Colour

Blue

Gold

Red

Size

17 mm

19 mm

21 mm

| Part No | Qty |
|---------|-----|
| 940761 | 1 |
| 940762 | 1 |
| 940763 | 1 |

Extension Bar Set

| 1/4" Squar | e Drive (x30), Screwdriver bits (x20) |
|------------|---------------------------------------|
| | - |

Clips: 1/2" Square Drive (x30), 3/8" Square Drive (x30),

| - | NAME AND ADDRESS OF | and the same of | 100000 |
|------|--------------------------|-----------------|--------|
| 2000 | HAT. | MICCOOM, | - |
| - | OWNER | | = |
| | OCCUPATION OF THE PERSON | | - 15 |

| Part No | Qty |
|---------|---------------|
| 940805 | 115 Piece Set |



Sizes: 50, 75, 150, 250, 350 mm



| Part No | Qty |
|---------|-----|
| 940807 | 1 |

Adjustable Wrenches



Pipe / Adjustable Wrench



Jaw Capacity

BAHCO

Phosphated



33 mm

| Qty | Length | Jaw Capacity | | | | |
|-----|--------------|--------------|----------|-------|--------------|--|
| 1 | 100 mm (4") | 13 mm | Part No | Otv | Length | |
| 1 | 155 mm (6") | 20 mm | 985335 | 1 | 225 mm (10") | |
| 1 | 205 mm (8") | 27 mm | | | () | |
| 1 | 255 mm (10") | 30 mm | Thin Ac | ljust | able Wrench | |
| 1 | 305 mm (12") | 34 mm | Wide Jav | N | | |

Adjustable Wrenches

Wide Jaw

Phosphated

Part No

985330

985331

985332

985333

985334



| 4 | |
|------------|--------------|
| Qty Length | Jaw Capacity |

205 mm (8")

| Part No | Qty | Length | Jaw Capacity | |
|---------|-----|--------------|---------------------|---|
| 985325 | 1 | 155 mm (6") | 32 mm | ì |
| 985326 | 1 | 205 mm (8") | 38 mm | |
| 985327 | 1 | 255 mm (10") | 46.5 mm | F |
| 985328 | 1 | 330 mm (13") | 55.6 mm | İ |

Fuel Coupling Pliers Set

For quick release fittings on fuel

1

Part No

985329

Part No

940704



38 mm

Suitable for Citroen, Fiat, Ford, GM, Opel, Vauxhall, Peugeot, Renault, etc.



Holds the hose clip 'open' for final positioning

Hose Clamp Pliers

For use on re-usable spring band

Long Reach

type hose clamps

Easy to use in normally

| inaccessible spots | | | | |
|--------------------|----|-----|--|--|
| Part | No | Qty | | |

Diameter 940742 18 - 54 mm



Two roller adaptors for bending 3/16", 1/4", 5/16", 3/8" copper & steel tube



CV Boot Clip Snips

For use on stainless steel retaining bands used on car CV boots.

Designed to reduce the risk of damage to the CV boot rubber

Also suitable for use on hose clamps up to 10 mm wide x 0.5 - 0.7 mm thick

| Part No | Qty |
|---------|-----|
| 940785 | 1 |



CV Boot Clip Crimping Pliers

For use on metal ear type clips as used on front wheel drive CV joint boots



| Part No | Qty |
|---------|-----|
| 940784 | 1 |



445



General Tools – Gripping Tools



Grip Plier Set

PRO Lock

Curved Jaw: 140, 225 mm Long Nose: 165 mm

- · Drop forged
- · Chrome vanadium jaws with wire cutter

Part No 940813 Qty





Circlip Pliers Set

- 175 mm long, 2.0 mm tips
- Straight & angled



Part No 940814

Pliers Set



Qty

4 Piece Set



Types: Combination, Side Cutter, Flat Nose



Part No 985517

Qty 3 Piece Set



BAHCO

Combination Pliers

with Wire Cutter

Black oxidized



Qty **Part No** Size 985347 200 mm (8")



- Cuts hard steel wire
- Black oxidized



Qty **Size** 985349 160 mm (6 1/2")



Circlip Pliers Set Internal / External

A comprehensive set of convertible internal & external circlip pliers & picks

Straight & Angled Tips: 150 x 1.0, 150 x 1.2, 190 x 1.8, 225 x 2.3 mm

Picks: 125 mm (x2)

Comfortable grips

art No Qty 10 Piece Set 940815

Snipe Nose Pliers

with Wire Cutter

Black oxidized



Part No Qty Size 985352 1 200 mm (8")

Slip Joint Pliers

Phosphated



| Part No | Qty | Length | Jaw Capacit |
|---------|-----|------------------|--------------------|
| 985340 | 1 | 250 mm (10") | 45 mm |
| 985341 | 1 | 315 mm (12 1/2") | 55 mm |

Pliers Set

Types: Slip Joint (250 mm), Combination (180 mm), Long Nose (160 mm), Side Cutting (160 mm)



Circlip Pliers Set BAHCO

Circlip Pliers

Circlip Plier Heads (x4) - for internal & external circlips



Part No Qty **Part No** Qty 985353 4 Piece Set 985815 4 Piece Set

'0' Clip Pliers

- Side closing type
- Plastic coated handles



Locking Pliers

Straight Jaw









Curved Jaw



Locking Pliers Curved Jaw with Wire

Cutters



VISE-GRIP



10CR

Part No Size Qty 985715 125 mm (5")

Long Nose Locking Pliers with Wire Cutters

Otre

Locking Pliers VISE-GRIP

Large Jaw

VISE-GRIP

Type

5WR

Can be used as a Pipe Wrench, Adjustable Wrench, Clamp or Pliers (on large objects)





| art No | цıу | SIZE | rype | | | | | | |
|--------|-----|-------------|------|----------------|-----|--------------|------|---------------------|--|
| 985716 | 1 | 150 mm (6") | 6LN | Part No | Qty | Size | Type | Jaw Capacity | |
| 985717 | 1 | 225 mm (9") | 9LN | 985724 | 1 | 300 mm (12") | 12LC | 79 mm (3 1/8") | |
| | | | | | | | | | |

Sheet Metal Clamp

VISE-GRIP

Welding Clamp

VISE-GRIP



Part No Part No Size Type 8R 200 mm (8") 985718









































General Tools – Hammers General Tools – Hammers





Qty

1

Weight

1 1/2 lb (24 oz)

Part No

985633









Corrosion Test MOT Hammer

Weld Chipping Hammer



Part No

815290

815291

815292

815293

815294

815297

815298

Tap Wrench

Adjustable

Part No



Size

M3 x 0.5 mm

M4 x 0.7 mm

M5 x 0.8 mm

M6 x 1.0 mm

M8 x 1.25 mm

M10 x 1.5 mm

Qty

| Pro Jobber | Drills |
|-------------------|---------------|
| Metric | |

HSS with Titanium Nitride coating on full working length of drill for

Suitable for Mild Steel, Steel Alloys, Cast Iron, Bronze, Copper, Brass, Wood, Chipboard & Plastic

- · Easy start 118° split-point tip
- M12 x 1.75 mm rupture resistance

Part No

825400

825402

825404

825406

825408

825410

825412

825414

825416

825418

825420

825422

825424

825426

825428

825430

825432

825434

825436

825438

825440

825442

825444

825446

825448





Qty

1 Set



Part No 1 985621



Accessories: Die Stock, Adjustable Tap Wrench, Ratchet Tap Holder, Screwdriver, Thread Gauge

985675

Part No

815283

Solid Circular Threading Dies: M3, M4, M5, M6, M8, M10, M12

Lead Ground Thread Taps: M3, M4, M5, M6, M8, M10, M12 (Taper, Second, Plug)

· Supplied in a plastic storage case



Spring handled

Sizes: M4, M5, M6, M8, M10, M12

Supplied in a plastic storage



Qty **Part No** 6 Piece Set 985643

HSS Solid Die Set

Contains: Die Stock

Solid Circular Threading Dies: M3, M4. M5. M6. M8. M10. M12





HSS Second Tap Set

Second Ground Thread Taps: M3, M4, M5, M6, M8, M10, M12

· Adjustable Tap Wrench

Tap Set



Part No Qty 1 Set 815281

HSS Tap Set

Part No Qty 815282 1 Set

Carbon steel

Types: Taper, Second, Plug



DORMER





| | | 100 |
|---------|-------------|-----------|
| Part No | Qty | Size |
| 110191 | 2 Piece Set | M6 x 1.00 |
| 110192 | 2 Piece Set | M8 x 1.25 |
| 110193 | 2 Piece Set | M10 x 1.5 |

| Part No | Qty | Size |
|---------|-------------|---------------|
| 815295 | 3 Piece Set | M3 x 0.5 mm |
| 815296 | 3 Piece Set | M4 x 0.7 mm |
| 815306 | 3 Piece Set | M5 x 0.8 mm |
| 815307 | 3 Piece Set | M6 x 1.0 mm |
| 815308 | 3 Piece Set | M8 x 1.25 mm |
| 815309 | 3 Piece Set | M10 x 1.5 mm |
| 815315 | 3 Piece Set | M12 x 1 75 mm |

985310 **Tap Wrench & Ratchet**



Qty

Pro Jobber Drills Metric

HSS with Titanium Nitride coating on full working length of drill for heat dispersal leading to a longer drill life Suitable for Mild Steel. Steel Allovs. Cast Iron, Bronze, Copper, Brass, Wood, Chipboard & Plastic

- Easy start 118° split-point tip
- Up to 100% increase in cutting speed
- High metal removal rate & rupture resistance
- DIN 338 / BS 328

Size Part No Qty **825490** 19 Piece Set 1.0 - 10.0 mm (in 0.5 mm's)

heat dispersal leading to a longer

- Up to 100% increase in cutting speed
- High metal removal rate &

Qty

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

5

5

5

5

5

DIN 338 / BS 328



Size

1.0 mm

1.5 mm

2.0 mm

2.5 mm

3.0 mm

3.5 mm

4.0 mm

4.5 mm

5.0 mm

5.5 mm

6.0 mm

6.5 mm

7.0 mm

7.5 mm

8.0 mm

8.5 mm

9.0 mm

9.5 mm

10.0 mm

10.5 mm

11.0 mm

11.5 mm

12.0 mm

12.5 mm

13.0 mm



























HSS Jobber Drills

Imperial

- · Right hand
- General purpose
- · High Speed Steel

HSS Jobber Drills

Metric

- Right handGeneral purposeHigh Speed Steel





| | | | , | | |
|---------|-----|--------|---------|-----|---------|
| Part No | Qty | Size | Part No | Qty | Size |
| 825101 | 10 | 1/16" | 825131 | 10 | 1.0 mm |
| 825102 | 10 | 5/64" | 825132 | 10 | 1.5 mm |
| 825103 | 10 | 3/32" | 825133 | 10 | 2.0 mm |
| 825104 | 10 | 7/64" | 825134 | 10 | 2.5 mm |
| 825105 | 10 | 1/8" | 825135 | 10 | 3.0 mm |
| 825106 | 10 | 9/64" | 825171 | 10 | 3.3 mm |
| 825107 | 10 | 5/32" | 825136 | 10 | 3.5 mm |
| 825108 | 10 | 11/64" | 825137 | 10 | 4.0 mm |
| 825109 | 10 | 3/16" | 825172 | 10 | 4.2 mm |
| 825110 | 10 | 13/64" | 825138 | 10 | 4.5 mm |
| 825111 | 10 | 7/32" | 825139 | 10 | 5.0 mm |
| 825112 | 10 | 15/64" | 825140 | 10 | 5.5 mm |
| 825113 | 10 | 1/4" | 825141 | 10 | 6.0 mm |
| 825114 | 10 | 17/64" | 825142 | 10 | 6.5 mm |
| 825115 | 10 | 9/32" | 825143 | 10 | 7.0 mm |
| 825116 | 10 | 19/64" | 825144 | 10 | 7.5 mm |
| 825117 | 10 | 5/16" | 825145 | 10 | 8.0 mm |
| 825118 | 10 | 21/64" | 825146 | 10 | 8.5 mm |
| 825119 | 10 | 11/32" | 825147 | 10 | 9.0 mm |
| 825120 | 10 | 23/64" | 825148 | 10 | 9.5 mm |
| 825121 | 10 | 3/8" | 825149 | 10 | 10.0 mm |
| 825122 | 10 | 25/64" | 825150 | 5 | 10.5 mm |
| 825123 | 5 | 13/32" | 825151 | 5 | 11.0 mm |
| 825124 | 5 | 27/64" | 825152 | 5 | 11.5 mm |
| 825125 | 5 | 7/16" | 825153 | 5 | 12.0 mm |
| 825126 | 5 | 29/64" | 825155 | 5 | 12.5 mm |
| 825127 | 5 | 15/32" | 825156 | 5 | 13.0 mm |
| 825128 | 5 | 31/64" | | | |
| | _ | | | | |

1/2"

DORMER HSS Jobber Drills

Metric

- · Right hand
- General purpose
- A002





DORMER



























| HSS | Jobber | Drills |
|-------|--------|--------|
| Imper | ial | |

- · Right hand
- General purpose
- A002

Part No







| 815181 | 10 | 1/16" | 815211 | 10 | 1.0 mm |
|--------|----|--------|--------|----|---------|
| 815182 | 10 | 5/64" | 815212 | 10 | 1.5 mm |
| 815183 | 10 | 3/32" | 815213 | 10 | 2.0 mm |
| 815184 | 10 | 7/64" | 815214 | 10 | 2.5 mm |
| 815185 | 10 | 1/8" | 815215 | 10 | 3.0 mm |
| 815186 | 10 | 9/64" | 815265 | 10 | 3.2 mm |
| 815187 | 10 | 5/32" | 815216 | 10 | 3.5 mm |
| 815188 | 10 | 11/64" | 815217 | 10 | 4.0 mm |
| 815189 | 10 | 3/16" | 815266 | 10 | 4.2 mm |
| 815190 | 10 | 13/64" | 815218 | 10 | 4.5 mm |
| 815191 | 10 | 7/32" | 815219 | 10 | 5.0 mm |
| 815192 | 10 | 15/64" | 815220 | 10 | 5.5 mm |
| 815193 | 10 | 1/4" | 815221 | 10 | 6.0 mm |
| 815194 | 10 | 17/64" | 815222 | 10 | 6.5 mm |
| 815195 | 10 | 9/32" | 815267 | 10 | 6.8 mm |
| 815196 | 10 | 19/64" | 815223 | 10 | 7.0 mm |
| 815197 | 10 | 5/16" | 815224 | 10 | 7.5 mm |
| 815198 | 10 | 21/64" | 815225 | 10 | 8.0 mm |
| 815199 | 10 | 11/32" | 815226 | 10 | 8.5 mm |
| 815200 | 10 | 23/64" | 815227 | 10 | 9.0 mm |
| 815201 | 10 | 3/8" | 815228 | 10 | 9.5 mm |
| 815202 | 10 | 25/64" | 815229 | 10 | 10.0 mm |
| 815203 | 5 | 13/32" | 815268 | 5 | 10.2 mm |
| 815204 | 5 | 27/64" | 815230 | 5 | 10.5 mm |
| 815205 | 5 | 7/16" | 815231 | 5 | 11.0 mm |
| 815206 | 5 | 29/64" | 815232 | 5 | 11.5 mm |
| 815207 | 5 | 15/32" | 815233 | 5 | 12.0 mm |
| 815208 | 5 | 31/64" | 815279 | 5 | 12.5 mm |
| 815209 | 5 | 1/2" | 815280 | 5 | 13.0 mm |
| | | | | | |

825129



HSS Jobber Drill

'Bulk' Packs



- General purpose
- · In clear plastic storage boxes

| Part No | Qty | Size |
|---------|-----|--------|
| 825195 | 50 | 3.0 mm |
| 825196 | 25 | 4.0 mm |
| 825197 | 25 | 5.0 mm |
| 825198 | 20 | 6.0 mm |
| 825163 | 50 | 1/8" |
| 825164 | 25 | 3/16" |
| 825165 | 20 | 1/4" |



HSS Jobber Drills

Sizes: 1.0 - 13.0 mm (in 0.5 mm's) Plus 3.3, 4.2, 6.8, 10.2 mm



- Right hand
- General purpose
- In a wall mountable box

| Part No | Qty |
|---------|-----|
| 815284 | 1 S |

Sizes: 1.0-10.0 mm (in 0.5 mm's)

Right hand

Part No

815285

General purpose

In a plastic case



HSS (Tin) Jobber Drill DORMER

Compact Set



Type

A002

HSS Jobber Drill Case Sets



- General purpose

Dial-A-Drill Set

· Jobber Drills

Part No

Sizes: 1.0 - 13.0 mm (in 0.5 mm's)

· In high quality cantilever cases

Part No Otv Size



HSS Jobber Drill

Dispenser Pack

Qty

1 Set

Sizes: 1.5 - 6.5 mm (in 0.5 mm's), 3.3 mm, 4.2 mm



- General purpose
- In a plastic case



Part No Qty 815234 1 Set

Type A100

19 Piece Set 825166

Qty

In Metal Case

- · Right hand
- · General purpose
- · Supplied in high quality metal

HSS Jobber Drill Sets

| cantilev | er cases | | | |
|----------|----------|-----------------------------|------|----|
| Part No | Qty | Size | Type | • |
| 815210 | 1 Set | 1/16" - 3/8" (in 64th's) | A100 | |
| 815180 | 1 Set | 1/16" - 1/2" (in 64th's) | A100 | Pa |
| 815235 | 1 Set | 1.0 - 13.0 mm (in 0.5 mm's) | A002 | 8 |

DORMER **HSS Jobber Drill**

Dispenser Pack

Sizes: 1.0 - 10.0 mm (in 0.5 mm

- Right hand
- General purpose

| Part No | Qty | Type |
|---------|-------|------|
| 815242 | 1 Set | A100 |

HSS Jobber Drills 'Top-Up' Pack


Sizes: 1/16" - 1/4" (in 64ths)

- · Right hand · General purpose
- **Part No** Qty **Type** 1 Set A002 815179

Spot Weld Drills

Stub Length

· High speed cobalt (HSCO)



Spot Weld Drills

Stub Lenath

· High speed cobalt (HSCO)



DORMER

DORMER

| Part No | Qty | Size |
|---------|-----|--------|
| 815244 | 10 | 6.0 mm |
| 815246 | 2 | 8.0 mm |
| 815247 | 10 | 8.0 mm |

Spot Weld Drills Jobber Length

High speed cobalt (HSCO)



HSCO SPOT WELD DRILL

HIMINI

| Part No | Qty | Size |
|---------|-----|--------|
| 815248 | 10 | 8.0 mm |

DORMER Jobber Drills

Stainless Steel

- · Right hand
- High speed steel (HSS)
- For drilling stainless steel

Part No

815350

815351

815352

815353

815354

815355

815356

815357

815358

815359

815360

815361

815362

815363

815364

815365

815366

815367

815368

815369

815370

815371

815372

815373

815374

DORMER

DORMER

Qty

10

10

10

10

10

10

1



Size

1.0 mm

1.5 mm

2.0 mm

2.5 mm

3.0 mm

3.5 mm

4.0 mm

4.5 mm

5.0 mm

5.5 mm

6.0 mm

6.5 mm

7.0 mm

7.5 mm

8.0 mm

8.5 mm

9.0 mm

9.5 mm

10.0 mm

10.5 mm

11.0 mm

11.5 mm

12.0 mm 12.5 mm

13.0 mm







































General Tools - Drill Bits & Holesaws



HSS Cobalt Jobber Drills







825319

825320

825321

825322

825323

825324

825325

825326

825327

825328

825329

825330

825331

825332

825333

825334

825335

825336

825337

825338

825339

| DIN 338 | | |
|---------|-----|--------|
| Part No | Qty | Size |
| 825311 | 10 | 1.0 mm |
| 825312 | 10 | 1.5 mm |
| 825313 | 10 | 2.0 mm |
| 825314 | 10 | 2.5 mm |
| 825315 | 10 | 3.0 mm |
| 825316 | 10 | 3.3 mm |
| 825317 | 10 | 3.5 mm |
| 825318 | 10 | 4.0 mm |

10

10

10

10

10

10

10

10

10

10

10

5

5



Sizes: 1.0 - 10.0 mm (in 0.5 mm increments)



| Part No | Qty |
|---------|--------------|
| 825345 | 19 Piece Set |



HSS Blacksmith Drills

Imperial






| Part No | Qty | Size |
|---------|-----|--------|
| 825168 | 1 | 9/16" |
| 825169 | 1 | 5/8" |
| 825350 | 1 | 11/16" |
| 825170 | 1 | 3/4" |
| 825351 | 1 | 7/8" |
| 825352 | 1 | 1" |

HSS Blacksmith Drills

Metric



Cobalt Drill Set





Part No 940821

Qty 19 Piece Set



4.2 mm

4.5 mm

5.0 mm

5.5 mm

6.0 mm

6.5 mm

6.8 mm

7.0 mm

7.5 mm

8.0 mm

8.5 mm

9.0 mm

9.5 mm

10.0 mm

10.2 mm

10.5 mm

11.0 mm

11.5 mm

12.0 mm

12.5 mm

13.0 mm

| Part No | Qty | Size | |
|---------|-----|---------|--|
| 825353 | 1 | 14.0 mm | |
| 825354 | 1 | 16.0 mm | |
| 825355 | 1 | 18.0 mm | |
| 825356 | 1 | 20.0 mm | |
| 825357 | 1 | 22.0 mm | |
| 825358 | 1 | 25.0 mm | |

Masonry Drills

• For general purpose drilling into most masonry materials



General purpose

DIN 338

| Part No | Qty | Size |
|---------|-----|---------------|
| 825370 | 3 | 5.5 x 85 mm |
| 825372 | 3 | 6.0 x 100 mm |
| 825376 | 3 | 7.0 x 100 mm |
| 825378 | 2 | 8.0 x 120 mm |
| 825380 | 2 | 10.0 x 120 mm |
| 825381 | 2 | 10.0 x 200 mm |
| 825382 | 2 | 12.0 x 150 mm |

| Part No | Qty | Size |
|---------|-----|--------|
| 825179 | 10 | 3.3 mm |

Saw Drill


Part No

815241

Sizes: No. 1 - 6

1/4"

· Versatile cutting tool





Qty

Masonry Drill Set

Sizes

| In a plastic storage case | |
|--------------------------------------|--|
| s: 4.0, 5.0, 6.0, 7.0, 8.0 mm | |
| | |

| • | IOLT | | | • |
|---|------|--|--|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Screw Extractor Set

Qty Set of 5

· Extracts broken screws or studs leaving the threads undamaged

Cone Cutting Drill

Otv

Multi-cut drills for enlargement of pre-drilled holes

Qty

• 3/

Part No

815239

815240

Part No

825360

825361

825362

Step Drill

Part No

815238

| ne outling brill | |
|--------------------------------------|--|
| ligh speed steel (HSS) 3/8" Shank | |
| | |

Hole Size

6 - 20 mm (3/8" - 13/16")

Size

4 - 12 mm

4 - 20 mm

6 - 30 mm


16 - 30.5 mm (5/8" - 1")

| Part No | Qty |
|---------|----------|
| 815299 | Set of 6 |

Stud & Screw Extractor Set

DORMER

Extracts broken screws or studs leaving the threads undamaged





| Part No | Otv |
|---------|----------|
| 985619 | Set of 6 |













Drill Chuck Key



Drill Chuck

Female thread



5 815301

Qty



5/16" & 3/8"

Cap Size Part No Qty **Size** 1.0 - 10 mm 3/8" x 24 UNF 985682 1/2" x 20 UNF 1.5 - 13 mm 985683 3/8" x 24 UNF 1.5 - 13 mm



Female thread







| Part NO |
|---------|
| 985684 |
| 985685 |
| |

Part No

| Part No | Qty | Size | Cap Size |
|---------|-----|---------------|-------------|
| 985684 | 1 | 3/8" x 24 UNF | 1.0 - 10 mm |
| 985685 | 1 | 1/2" x 20 UNF | 1.0 - 10 mm |

Part No Otv Size

| 895262 | 100 | 6.0 mm (No.6 - 12) | Red |
|--------|-----|---------------------|----------------------|
| 895263 | 100 | 7.0 mm (No.10 - 14) | Brown |
| 895251 | 200 | 5.0 - 8.0 mm | Assorted Pack |





Female thread

· Suits percussion / reversing drills



Types: Cylindrical, Ball Nose, Pointed Tree Nose, Round Nose



Colour



| Part No | Qty | Size | Cap Size |
|---------|-----|---------------|------------|
| 985686 | 1 | 1/2" x 20 UNF | 1.5 - 13 m |
| 985687 | 1 | 3/8" x 24 UNF | 1.0 - 10 m |



Part No 985460 Qty Set of 4

Rotary Burrs







| Part No | Qty | Туре | Shank | Head Diameter | Head Length |
|---------|-----|-------------------|-------|----------------------|--------------------|
| 985461 | 1 | Cylindrical | 6 mm | 10 mm | 20 mm |
| 985462 | 1 | Ball Nose | 6 mm | 10 mm | 20 mm |
| 985463 | 1 | Conical Ball Nose | 6 mm | 10 mm | 27 mm |
| 985464 | 1 | Pointed Tree Nose | 6 mm | 10 mm | 20 mm |
| 985465 | 1 | Round Nose | 6 mm | 12 mm | 25 mm |
| 985466 | 1 | Oval Nose | 6 mm | 12 mm | 22 mm |

Electricians Holesaw Kit

8% Cobalt for ultimate performance Variable pitch teeth

Accessories: Arbors, arbor adapter, HSS pilot drill bits **Holesaws:** 16, 20, 22, 25, 32, 64 mm

| | , | , | , | , | , | |
|---------|---|---|---|---|---|-----|
| Part No | | | | | | Qty |
| 005054 | | | | | | - 1 |

Plumbers Holesaw Kit

8% Cobalt for ultimate performance Variable pitch teeth

Accessories: Arbors, arbor adapter, pilot drills, injection spring, **extension bar. Holesaws:** 16, 20, 22, 25, 32, 38, 44, 51, 57, 64, 76 mm

| Part No | Qt |
|---------|----|
| 825255 | 1 |

Arbors

· Suits holesaws

Part No Qty Size

| 825261 | 1 | 3/8" hex (for 14 - 30 mm Holesaws) |
|--------|---|--------------------------------------|
| 825262 | 1 | 7/16" hex (for 32 - 152 mm Holesaws) |

Cobalt Holesaws

- 8% Cobalt for ultimate performance



| Part No | Qty | Size | Part No | Qty | Size |
|---------|-----|-------|----------------|-----|--------|
| 825202 | 1 | 16 mm | 825217 | 1 | 40 mm |
| 825203 | 1 | 19 mm | 825220 | 1 | 44 mm |
| 825204 | 1 | 20 mm | 825222 | 1 | 48 mm |
| 825206 | 1 | 22 mm | 825223 | 1 | 51 mm |
| 825208 | 1 | 25 mm | 825226 | 1 | 57 mm |
| 825210 | 1 | 29 mm | 825229 | 1 | 64 mm |
| 825211 | 1 | 30 mm | 825233 | 1 | 76 mm |
| 825212 | 1 | 32 mm | 825235 | 1 | 83 mm |
| 825214 | 1 | 35 mm | 825241 | 1 | 102 mm |
| 825216 | 1 | 38 mm | | | |













































Electrical, Washers, 'O' Rings, Screws & Fixings, Hardware and Tyre Care to mention a few.















| Part No | Qty | Length | Cut Type |
|---------|-----|--------------|-----------------|
| 895517 | 2 | 150 mm (6") | Bastard |
| 895520 | 2 | 200 mm (8") | Bastard |
| 895182 | 2 | 250 mm (10") | Bastard |
| 895524 | 2 | 300 mm (12") | Bastard |
| 895516 | 2 | 150 mm (6") | Second |
| 895166 | 2 | 200 mm (8") | Second |
| 895521 | 2 | 250 mm (10") | Second |
| 895523 | 2 | 300 mm (12") | Second |
| 895518 | 2 | 200 mm (8") | Smooth |

Engineers Files Flat



| Part No | Qty | Length | Cut Type | |
|---------|-----|--------------|-----------------|---|
| 895501 | 2 | 150 mm (6") | Bastard | , |
| 895180 | 2 | 200 mm (8") | Bastard | |
| 895181 | 2 | 250 mm (10") | Bastard | |
| 895507 | 2 | 300 mm (12") | Bastard | |
| 895157 | 2 | 150 mm (6") | Second | |
| 895158 | 2 | 200 mm (8") | Second | |
| 895159 | 2 | 250 mm (10") | Second | |
| 895160 | 2 | 300 mm (12") | Second | |

Mixed Engineers Files

Bastard & Second Cut

Contains: Flat, Round, Half Round (8", 10")



| art No | Qty |
|--------|-----|
| 110149 | 8 |

Engineers Files

Round

| ty | Length | Cut Type | Part No | Qty | Length | Cut Type |
|----------|--------------|-----------------|---------|-----|--------------|-----------------|
| <u> </u> | 150 mm (6") | Bastard | 895509 | 2 | 150 mm (6") | Bastard |
| 2 | 200 mm (8") | Bastard | 895183 | 2 | 200 mm (8") | Bastard |
| <u>-</u> | 250 mm (10") | Bastard | 895184 | 2 | 250 mm (10") | Bastard |
| 2 | 300 mm (12") | Bastard | 895515 | 2 | 300 mm (12") | Bastard |
| 2 | 150 mm (6") | Second | 895161 | 2 | 150 mm (6") | Second |
| 2 | 200 mm (8") | Second | 895162 | 2 | 200 mm (8") | Second |
| 2 | 250 mm (10") | Second | 895163 | 2 | 250 mm (10") | Second |
| 2 | 300 mm (12") | Second | 895164 | 2 | 300 mm (12") | Second |
| | | | | | | |

Assorted Pack

Sizes: 6", 8", 10", 12"

Qty **Part No** 10 110144

Assorted pack

Flat Second Cut Files

Sizes: 6", 8", 10", 12"

Qty **Part No** 110146

Assorted pack

Bastard Cut Files

Contains various shapes and lengths

Part No Qty 5 110147

Assorted pack Second Cut Files

Contains various shapes and lengths

Part No Qty 5 110145











































Thread Restorers

· Thread cleaning files

Part No

815401 815403



Type UNF / UNC

Metric

Python Safety File Handles

Wooden

Spring steel retainer & metal



| Part No | Qty | Size |
|---------|-----|------------------------|
| 895242 | 5 | No. 0 (75 mm, 3") |
| 895243 | 5 | No. 1 (108 mm, 4 1/4") |
| 895244 | 3 | No. 2 (126 mm, 5") |
| 895245 | 3 | No. 3 (140 mm, 5 1/2") |



Mixed Engineers Files

Qty

Types: Flat, Round, Half Round (8", 10")



- · Complete with storage wallet



Qty Set of 10

Assorted Pack

Sizes: No. 0 - 3



| Part No | Qty |
|---------|-----|
| 110148 | 8 |



File Set

Part No

110143

Types: Hand, Square, Round, Half Round (8")



storage wallet







Needle File Set

Various shapes (140 mm)



· Complete with plastic storage wallet





Hacksaw Blades All Hard





Supplied in plastic storage box



Hacksaw Blades

Bi-Metal Plus 30







| 122 |
|-----|
| - |
| |
| |

| art No | Qty | Length | Tpi | Part No | Qty | Length | Tpi |
|--------|-----|--------|--------|---------|-----|--------|--------|
| 355211 | 20 | 12" | 18 tpi | 855224 | 100 | 12" | 18 tpi |
| 355201 | 100 | 12" | 18 tpi | 855234 | 20 | 12" | 18 tpi |
| 355212 | 20 | 12" | 24 tpi | 855225 | 100 | 12" | 24 tpi |
| 355202 | 100 | 12" | 24 tpi | 855235 | 20 | 12" | 24 tpi |
| 355213 | 20 | 12" | 32 tpi | 855226 | 100 | 12" | 32 tpi |
| 355203 | 100 | 12" | 32 tpi | 855236 | 20 | 12" | 32 tpi |



Bi-Metal Hacksaw Blades

'Sandflex®'



Shatterproof



'Sandcut®'

 Fully hardened hacksaw blades High speed steel



| Part No | Qty | Length | Tpi | | | | | |
|---------|-----|--------|--------|---------|-----|--------|--------|--|
| 855184 | 20 | 12" | 18 tpi | | | | | |
| 855172 | 100 | 12" | 18 tpi | Part No | Qty | Length | Tpi | |
| 855185 | 20 | 12" | 24 tpi | 855187 | 30 | 12" | 18 tpi | |
| 855173 | 100 | 12" | 24 tpi | 855177 | 100 | 12" | 18 tpi | |
| 855186 | 20 | 12" | 32 tpi | 855188 | 30 | 12" | 24 tpi | |
| | | | | 0==4=0 | 400 | 4.011 | 041. | |

| | | 3 | - 0 | · · | | | | |
|--------------|---|-----|-----|--------|---------|-----|--------|--------|
| 85518 | 4 | 20 | 12" | 18 tpi | | | | |
| 85517 | 2 | 100 | 12" | 18 tpi | Part No | Qty | Length | Tpi |
| 85518 | 5 | 20 | 12" | 24 tpi | 855187 | 30 | 12" | 18 tpi |
| 85517 | 3 | 100 | 12" | 24 tpi | 855177 | 100 | 12" | 18 tpi |
| 85518 | 6 | 20 | 12" | 32 tpi | 855188 | 30 | 12" | 24 tpi |
| 85517 | 4 | 100 | 12" | 32 tpi | 855178 | 100 | 12" | 24 tpi |
| | | | | | | | | |

Power Saw Blades

· High speed steel



Power Saw Blades







| Qty | Length |
|-----|--------|
| 10 | 14" |
| 10 | 14" |

| | | | Part No | Qty | Length |
|------------------|------------|--------|---------|-----|--------|
| Part No Qt | y Length 1 | Грі | 855302 | 10 | 14" |
| 855207 10 | 14" | 10 tpi | 855303 | 10 | 14" |
| 855208 10 | 14" | 14 tpi | 855306 | 10 | 16" |





Junior Hacksaw Blades

| Part No | Qty | |
|---------|-----|--|
| 855168 | 100 | |



Professional Hacksaw BAHCO with 'Sandflex' Blade

 Alternative 55° blade mounting for flush cutting



| Part No | Qty | Size | Tpi |
|---------|-----|------|-------|
| 855171 | 1 | 12" | 24 tp |

accurate & straight cutting performance Strong light



Soft feel handle

with Blades

Epoxy coated moulded section steel frame

Professional Hacksaw

with Bi-Metal Blade

Maintain blade tension

at 80 kg to ensure

| Part No | Qty | Size | Tpi |
|---------|-----|------|--------|
| 855165 | 1 | 12" | 24 tpi |

Type

Complete with 1 blade

Complete with 30 blades

BAHCO

Wire Frame Junior Hacksaw

High speed carbon steel blades

Qty

3

Junior Hacksaw

Plastic Grip

· Comes with high speed carbon



| Part No | Qty |
|---------|-----|
| 855167 | 1 |






Junior Hacksaw

with Blade

Part No

855166

855169





| Part No | Qty | Size | Tpi |
|---------|-----|------|--------|
| 985876 | 1 | 12" | 24 tpi |

| | P |
|---|---|
| i | |

| Part No | Q |
|---------|---|
| 985875 | 1 |



Size

12"

Additional 90° angle setting

Qty

Part No

855176



Tpi

24 tpi

Professional Hacksaw with VIKING 'Durocut' **Blade**

Additional 90° angle setting



Professional Hacksaw



Mini Hacksaw

with 'Sandflex' Blade





Easy to handle & supplied with

| a 250 mm (10") 'Sandflex' bi-metal blade | |
|---|--|
| | |

| Part No | Qty | Size | Part No | Qty | Tpi |
|---------|-----|------|---------|-----|--------|
| 855181 | 1 | 12" | 855180 | 1 | 24 tpi |

Jigsaw Blades

for Wood

- CV
- 2.5 mm pitch
- Blade length 100mm, Working Length 75mm
- Suitable for AEG, Bosch, Makita & Metabo machines
- Packed on informative card (Bosch T101B)

| Part No | Qty |
|---------|-----|
| 985648 | 5 |

Jigsaw Blades

for Metal

- High Speed Steel
- 0.9 mm pitch
 - Blade length 75mm, working length 50mm
- Suitable for AEG, Bosch, Makita & Metabo machines
- Packed on informative card (Bosch T118G)

| Part No | Qty |
|---------|-----|
| 985649 | 5 |

Jigsaw Blades

- Suitable for AEG, Bosch, Makita & Metabo machines
- Skin-packed on informative card
- · Straight cutting form



Medium

HSS Body Saw Blades

BM

1.1 mm

75 mm

5

Bi-Metal

855327

4" long x 1/2" high

· Standard type

| Part No | Qty | Pitch | Tpi |
|---------|-----|--------|--------|
| 855110 | 10 | 1.8 mm | 14 tpi |
| 855112 | 10 | 1.0 mm | 24 tpi |
| 855113 | 10 | 0.8 mm | 32 tpi |



91-612

24 tpi















BAHCO

T118AF





















Hard Point Saw Bow Saw with Blade



| tpi | |
|-----|-----|
| | tpi |



Size Part No Qty 21" 985872




985603




Utility Knife Heavy Duty Retractable blade



Supplied complete with two spare blades



| Part No | Qty |
|---------|-------------|
| 985645 | 100 Singles |
| 985606 | 10 (x 10) |









Snap-Off Blade Knives







| Part No | Qty |
|---------|-----|
| 985603 | 1 |



Snap-Off Blades






Snap-Off Blade Knife Set

Qty

5

5



· Complete with blades

Part No

985591

985592

Part No

985321



Qty Set of 3

Size

9 mm

18 mm

| Part No | Qty | Size |
|---------|-----|-------|
| 985739 | 30 | 9 mm |
| 985740 | 30 | 18 mm |

Breakaway Blade Knife


| • | Complete with blade | |
|---|---------------------|--|
| | | |

| Part No | Qty | Туре |
|---------|-----|--------------------|
| 985678 | 1 | Knife |
| 985679 | 5 | Replacement blades |

Locking Pocket Knife

Supplied with six reversible blades & protective blade cover

Closed Length: 90 mm Open Length: 150 mm



Easy-to-use latch for quick blade removal & fitting - no tools required

· Supplied with belt clip

Part No Qty 980105

blades to be tightened or taken apart for sharpening

Size

7"

| Part No | Qty |
|---------|-----|
| 985417 | 1 |

Centre adjustment screw allows

Precision ground blades for accurate cutting

Stainless Steel Knife

Qty

· Bow shaped folding blade

All Purpose

Part No

985410

Scissors

General Use

Stainless steel



· Straight type

| art No | Qty | Size |
|--------|-----|------|
| 985725 | 1 | 10" |
| | | |

Nylon Tube Cutter

- Quick square cut action
- . For up to 13 mm diameter

| Part No | Qty |
|---------|-----|
| 985351 | 1 |

Mini Tube Cutter

Capacity 1/8" - 5/8" (3 - 16 mm)

· Tungsten steel cutter, twin rollers

| Part No | Qty |
|---------|-----|
| 940751 | 1 |

985418

Snips

Multi-Purpose

Wood etc.

Scissors High Quality



1

Size 280 mm

BAHCO

BAHCO

Qty **Part No** 985892

Suitable for cutting Light Metal Plate, Leather, Wire, Plastic,

Automatic Tube Cutter





Part No Qty Size 985354 10 mm

Soft Hose Cutter

- Stainless steel blade
- 32 mm capacity



Qty 940743











































Scrapers Universal



Scrapers General Use



| 985677 1 2 1/2 | II |
|-----------------------|----|

| Part No | Qty | Size |
|---------|-----|----------|
| 985733 | 4 | 1" Blade |
| 985734 | 4 | 3" Blade |



Scrapers

Professional Quality



'Zippy' Blades

- Suits 985672

Single Edge



| Part No | Qty | Size |
|---------|-----|--------------|
| 985735 | 1 | 1 1/2" Blade |
| 985737 | 1 | 3" Blade |

| Part No | Qty | |
|---------|-----|--|
| 985673 | 100 | |

'Zippy' Type **Scraper**





Scraper Set

Sizes: 50. 30 mm (flat) 30 mm (20° angled)

- Rigid stainless blade
- Soft grip handles
- Hammer cap heads



| Part No |
|---------|
|---------|


| Part No | Qty |
|---------|-------------|
| 940791 | 3 Piece Set |
| | |

Scraper Set

Rigid Blades

Part No


985672



Qty

5 Sets

32 (Straight & 20° Angled), 50mm



- Soft grip handles & broad hilt design give maximum control
- Cap permits careful use with hammer





A set of tools ideal for both automotive & general use

Types: Angled, Bull Nose, Standard, Curved Edge, Wide Steep Angled



- Non sparking
- Chemical resistant
- Avoids deep grooving of base metal
- A file can be used to maintain a sharp edge
- Durable for use in sensitive scraping areas

Part No 940790

Qty 5 Piece Set

Deluxe Window Scraper

- · Metal blade for heavy duty use
- For walls, glass & tile applications



THE ONE-STOP

ABRASIVE CHOICE

Part No Size Qty 895101 100 mm

ABRACS

Part No 895194



Part No

895624

Ice Scraper

with Squeegee










































Rivet Tools

Hand Gun Riveter






Rivet Tools Lazy Tong Riveter

Suitable for use with 3. 4 & 5 mm rivets

Riveter Nozzles





| Part No | Qty | Туре |
|---------|-------|------------|
| 965312 | 1 | |
| 965252 | 1 Kit | Repair Kit |



Rivet Tools

Long Arm Riveter

Suitable for use with 4. 5 & 6 mm rivets 8 monobolts



| - |
|---|
| |
| |

| Part No | Qty | Type |
|---------|-------|------------|
| 965315 | 1 | |
| 965253 | 1 Kit | Repair Kit |

| Part No | Qty | Size |
|---------|-----|--------------|
| 965242 | 5 | 3 mm (1/8") |
| 965243 | 5 | 4 mm (5/32") |
| 965244 | 5 | 5 mm (3/16") |



Part No

965250

Part No


965075

 For 4, 5 & 6 mm rivets & 6 mm monobolts



Hand Rivet Gun Kit

Includes 2 nozzle sizes & a selection of popular rivets









& nose bush / mandrel kits

Threaded Insert Tool Kit

Qty

1 Kit

Set of 4



Threaded Insert Tool Bose Bush / Mandrel Kits

Qty

1 Kit

For nutsert tool



Part No

965259



| Part I |
|--------|
| 9650 |
| 9650 |
| 9650 |
| 9650 |
| |

| Part No | Qty | Size |
|---------|----------|------|
| 965085 | Set of 2 | 4 mm |
| 965086 | Set of 2 | 5 mm |
| 965087 | Set of 2 | 6 mm |
| 965088 | Set of 2 | 8 mm |

Measuring **Tapes**

- Blade lock
- Auto return
- Belt clip

Part No

985607

Part No



Size

8 m (26 ft)

Calibrated Steel Rule

- Stainless steel
- Imperial & metric measurements on each side



| Part No | Qty | Size |
|----------------|-----|--------------|
| 985640 | 2 | 300 mm (12") |



Qty

Size

0.002" - 0.025"

1 Set 0.051 - 0.635 mm Metric



Type

Imperial

Feeler Gauge

0.0152 - 0.737 mm (0.006 - 0.029")



- 26 blades
- Metric & imperial
- Offset

| Part No | Qt |
|---------|----|
| 940828 | 1 |

Flaring Tool Set Hand Held

1 Set

- General Use
- Simple step by step instructions for perfect flares
- One piece construction adapts to all pipe sizes without the need to dismantle



Pipe Flaring Tool, Punch & Die Box Set

- · Fast cam action
- Spring return for a faster punch
- Suitable for bench mounting
- Complete with 3/16" & 4.75 mm punches & dies









Die & Punch Set

Sizes: 1/4", 5/16", 3/8", 1/2"

Suits 305130

Part No

305131



| Wrecking | Bar / | Jemmy |
|----------|-------|--------------|
| | | |



| Qty | Part No | Qty | Size |
|---------|---------|-----|-------------|
| 4 Pairs | 985671 | 1 | 460 x 16 mm |





470

General Tools General Tools



Screwdriver Set

Jewellers Precision

Flat Head:

Part No

985608

1.0, 1.2, 1.8, 2.4, 3.0, 3.5 mm

· In plastic storage box

Jumbo Pry Bar

· Chrome vanadium steel

900 mm long



Qty Set of 6



Heavy Duty

Sizes: 200, 300, 450, 600 mm



With hammer caps

Part No Qty 4 Piece Set 940812



EN & UN approved plastic fuel cans

Safety screw lock cap & flexible pouring spout

Colour coded for easy identification of content: Red -Lead Replacement Fuel, Green -Unleaded Fuel, Black - Diesel



Capacity

5 ltr

5 Itr

5 ltr

10 ltr


Part No Qty 940811



Qty

Diameter

75 mm





Magnifying Glass

Lightweight composite handle housing a glass lens with x5

 Hanging hole for storage Ideal for enlarging small work areas for detailed inspection

Otv

Suitable for use with any grinder

Part No

980232

Part No

980238



Length

150 mm

Length

195 mm

980173 980174 **Jerry Cans**

Part No

980171

980172

Manufactured from 0.9 mm pickled steel sheet with fuel resistant lining. Complies with UN dangerous goods, DIN & TUV/GS



Colour

Black

Green

Red

Black

- Includes unique wide channel breather for smoother pouring
- Leak-proof bayonet closure allows storage of the can in any
- Bayonet additionally secured with a locking pin to prevent accidental opening
- Lined inner tank to prevent rusting with petrol, diesel, oil,
- Colour coded for easy identification of content: Red Lead Replacement Fuel, Green - Unleaded Fuel, Black - Diesel

| Part No | Qty | Colour | Capacity |
|---------|-----|--------|----------|
| 980177 | 1 | Black | 20 ltr |
| 980178 | 1 | Green | 20 ltr |
| 980179 | 1 | Red | 20 ltr |

Glue Gun

- Composite housing with trigger
- Fitted with 1.3 m cable with BS approved 3 pin 230v nonrewirable fused plug
- Includes two glue sticks

Part No Qty 980225

Qty

25

Glue Sticks

Part No

980226

Tool Box

Twin catches

· Lift out tray

Part No

985850

Locking facility

Plastic

Hot melt glue sticks suitable for glue guns



Length

100 mm

Staple & Nail Gun

3-in-1 staple & nail gun. Supplied in storage case

Crown Size: 9.5 mm Staple Sizes: 6, 8, 10, 12, 14 mm

Hoop Staple Sizes: 12 mm

Nail Sizes: 10, 12, 14 mm



- · Features removable sole plate for easy clearance of blockages
- Supplied with starter pack of nails & staples
- Suitable for a wide range of applications

| Part No | |
|----------------|--|
| 980250 | |

Qty

Replacement Staples







| Qty | Size | Part No | Qty | Size |
|-----|------|---------|-----|-------|
| 1 | 20" | 980251 | 500 | 14 mm |

Socket Rails

· Chrome plated with clips



| Part No | Qty | Size |
|---------|-----|------------|
| 985741 | 1 | 1/4" Drive |
| 985742 | 1 | 3/8" Drive |
| 985743 | 1 | 1/2" Drive |

Tool Clips Closed Type

Carbon spring steel



| Part No | Qty | Diameter |
|---------|-----|---------------------|
| 505501 | 50 | 10 - 12 mm (3/8") |
| 505502 | 50 | 13 - 14 mm (1/2") |
| 505503 | 50 | 16 - 19 mm (5/8") |
| 505504 | 50 | 25 - 27 mm (1") |
| 505505 | 50 | 32 - 34 mm (1 1/4") |
| 110176 | 50 | Assorted Pack |





473



























General Tools General Tools



Locking Tie Down

Manufactured from polyester webbing with stitched reinforcement around S-hooks. Suitable for securing tarpaulins onto flat-beds or trailers & for general load restraint

Maximum Tension: 200 kg

Load Test: 400 kg Webbing Width: 25 mm Webbing Length: 1.8 m

Mechanism: Cam Buckle Hook Type: S. Webbing Material: Polyester





. Cam buckle mechanism allows quick & easy securing of the load as operator uses body weight for tightening

Includes quick-release spring-loaded lever for ease of unloading when at destination

Part No Qty 980110




Manufactured from polyester webbing with stitched reinforcement around hooks. Suitable for securing tarpaulins onto flat-beds or trailers & for general load restraint

Mechanism: Ratchet

Hook Type: S

Webbing Material: Polyester



Includes guick-release spring-loaded lever for ease of unloading when at destination








2 m lead with mains plug in



Cassette Lighter Gas Torch

(Does not include gas)

Includes: Cassette Lighter Gas Torch. Refillable Lighter



Produces flame of approximately 1300°C

Suitable for a variety of general purpose uses from soft soldering to lighting the barbecue

| Part No | Qty | Voltage | Wattage | Part No | Qty | Size |
|---------|-----|---------|---------|---------|-----|--------|
| 845116 | 1 | 240 v | 30w | 980241 | 1 | 115 mm |

Micro Soldering Torch

Electronic

(Does not include gas)

- · Piezoelectric ignition with ceramic burner head for simple operation & long life
- 1300°C burner flame adjustable from 12 to 35 mm
- Includes bench stand for hands-free operation
- Standard fill gives approximately one hour continuous operation
- Powered by butane (865717)

| art No | Qty | Size |
|--------|-----|--------|
| 80240 | 1 | 155 mm |

Micro Butane Soldering / **Heating Torch**

(Does not include gas)

- · Compact, high capacity burner head with push-button piezoelectric ignition
- 1750°C adjustable burner flame size gives wide application
- Accepts standard butane self-sealing cartridges (not included)
- Ideal for occasional plumbing tasks where space may be limited

| Part No | Qt |
|---------|----|
| 980242 | 1 |

Micro Butane Heating Torch

(Does not include gas)

- Stylish design with piezo ignition
- Produces a flame of approximately 1300°C
- Powered by butane (lighter fluid)
- Supplied with key chain
- Suitable for use in extreme weather conditions
 - Ideal for soft soldering, camping, household repairs & a variety of general purpose uses
- Uses 865717

| Part No | Qty | |
|---------|-----|--|
| 980243 | 1 | |

Maxi Butane Heating Torch

(Does not include gas) TUV/GS Approved

- Impact resistant, contoured grip torch with stainless steel burner nozzle for professional
- · Anti-flare feature enables use of the gun at any angle - even upside down
- 1300°C maximum flame temperature
- Piezoelectric ignition for ease of use
- · Accepts standard butane self-sealing cartridges (not included)

| Part No | Qty | |
|---------|-----|--|
| 980244 | 1 | |










































General Tools General Tools



Butane Heating / Soldering Torch Kit



Includes: Butane Solder Torch, Deflector Nozzle, Solder Tips (x3), Hot Knife Tip, Sponge Stand, Solder Wire, Spanner

- Portable & lightweight torch with piezoelectric start
- Features adjustable heating control ranging up to 450°C (approx)

Otv

- Removable solder tip transforms torch into burning flame heat source
- Includes a variety of nozzles for various applications including a flameless heat source adaptor
- Safety cap for storage
- . Sponge cleaning tray & small roll of solder wire
- Powered by butane (lighter fluid)
- · Suitable for heating, soldering & shrinking
- Uses 865717




Part No

8 Piece Set 980245











Qty Size 400 ml 865717



· Automatic action



Part No Qty 295324 1 Pair

Unistripper Tool




Fast action crimper & wire stripper

Insulated handles





Crimping Tool Heavy Duty





Part No

295157 1 Pair




Insulated handles



Hex Mechanical Crimping Tools

Qty



Insulated grip handles



| Part No | Qty | Size |
|---------|-----|--------------------------|
| 295170 | 1 | 6 - 50 mm ² |
| 295171 | 1 | 6 - 120 mm ² |
| 295172 | 1 | 25 - 150 mm ² |

Circuit Testing Probe

Brass

1 m cable & clip



| Part No | Qty | Voltage |
|---------|-----|----------|
| 985227 | 1 | 6 - 24 v |

Mains Multi-Test Screwdriver

Self powered

| Part No | Qty | Voltage |
|---------|-----|---------|
| 985228 | 1 | 250 v |

Electricians' Screwdriver

With pocket clip, 1/8" x 2" long



Otv

1 Set

Part No Qty 6 985701

Multi-Tester

Analogue

· Complete with 9v battery



Circuit Testing Screwdriver

Mains Testing Screwdriver

Qty



| Part No | Qty | Length | Voltage |
|---------|-----|--------|----------|
| 985241 | 1 | 110 mm | 6 - 24 v |

Lenath

190 mm

'Terminator 10'

continuity tester

| Part No | Qty | Voltage | |
|---------|-----|---------|--|
| 985228 | 1 | 250 v | |

1 985229 **Multi-Testers**

Digital

Part No

· Complete with 9v battery



Voltage

240 v

Part No Qty 1 Set 985545

Battery Load Tester

Digital

· Includes inbuilt starter crank test procedure & CCA setting 200 - 1000, enabling unit to be set to the battery's cold cranking amp rating



Digital display & battery condition LEDs give clear indication of test results

Qty

1

| Part No | |
|---------|--|
| 940701 | |

Circuit Tester

Heavy Duty

Part No

985552

• 6 - 24 v range

90 mm piercing blade with 1 m insulated lead & shrouded strap

| Part No | Qty |
|---------|-----|
| 940702 | 1 |

Polarity Circuit Tester



80 mm piercing blade with 1.5 m insulated lead & heavy duty shrouded strap

· Red / green LEDs show polarity















































2 Piece - 10.8V

Lightweight cordless kit including: Lightweight high spec drill/driver, Lightweight high spec impact driver, 2 x 1.5Ah Li-lon batteries and a 30 minute charger

- · All new stackable carrying case
- Slim soft grip handle shape for comfortable use
- Automatic trigger operated LED light
- 30 minute charge time

Combi Drill

carrying case

Brushless motor - 18V

· Lightweight slide-in Li-lon batteries

 Maximum torque of 70Nm Forward & reverse switch LED spotlight illuminates workpiece

Battery level indicator Metal belt clip

Spindle lock · Soft grip handle

Part No

985902

| Part No | Qty |
|---------|-----|
| 985900 | 1 |

Standard Accessories: 2 x 3.0Ah Li-lon batteries, charger, driver bit,

Only 189mm body length - ideal for confined spaces



HITACHI











HITACHI





















Reciprocating Saw

13mm metal chuck with ratcheting lock

Brushless motor - 18V

Standard Accessories: 2 x 5.0Ah Li-lon batteries, charger, curved blade, wrench, carrying case

- · Brushless motor for longer run time, less maintenance and increased durability
- Top class cutting speed
- Auto mode reduces noise and power consumption
- Longer, slimmer front grip for easier handling and better control

Otv

- Tool free blade change
- Large pivot hook
- Bright LED light
- Curved blade supplied as standard

Part No Qty 985904











General Tools – Power Tools General Tools – Power Tools

Angle Grinder


Brushless motor - 18V

High performance angle grinder with high efficiency brushless motor Standard Accessories: 2 x 5.0Ah Li-lon batteries, charger, anti-vibration side handle. wrench, carrying case



- Kickback protection system, anti-restart protection and soft start provide greater operator
- Auto mode reduces no-load noise and vibration
- Resin coated components and mesh filters for extra protection against dust and moisture
- Compact body and small grip circumference
- Large two stage paddle switch (dead man action)





Impact Driver

Brushless motor - 18V

Standard Accessories: 2 x 6.0Ah Li-lon batteries, charger, stackable case

- . High power brushless motor with maximum tightening torque of 207Nm
- . IP56 rating for dust resistance & waterproofing
- · Triple hammer mechanism: three anvils for higher power and extended life
- 4 mode speed selection for a variety of jobs: Sm: soft mode (delicate work)Nm: normal mode Pm: power mode (heavy work) SEm: self-drilling screws
- 3 mode LED worklight: always on/automatic/always off
- · Soft grip handle
- · Forward & reverse switch
- · Side hook can be fitted on right or left
- · Fast charger with USB output
- · Driver bit not included

Part No Qty 985908

Li-Ion Battery

18V - 5.0Ah

Part No 985920

- . Same size and weight as a 4Ah Li-lon battery with up to twice the runtime per charge
- Multiplex protection circuit prolongs battery life protects against overload, overcharge and over discharge
- Up to 1500 recharge cycles
- Compatible with all 18V cordless tools



HITACHI

HITACHI

HITACHI

Fast Charger For 18V Batteries

- . 38 minutes charge time for a 6.0Ah Li-lon battery
- USB charging socket charge your battery and your phone at the same time
- Multiplex Protection System extends the life of the battery
- 4 colour indicator system















Part No

985925

Brushless motor - 18V

Standard Accessories: 2 x batteries, fast charger, carrying case

Qty

- Brushless motor for increased run time and durability
- IP56 rating for dust resistance & waterproofing
- Compact & lightweight design
- 4 mode speed selection for a variety of jobs: Hm: high mode Mm: medium mode Lm: low mode Sm: single mode

High power brushless motor with huge maximum tightening torque of 305Nm

- Improved socket holder with friction ring & hole
- Electric brake
- 3 mode LED worklight: always on/automatic/always off
- Battery level indicator
- Soft grip handle
- Forward & reverse switch
- Side hook can be fitted on right or left
- Fast charger with USB output
- · Socket not included

| Part No | Qty |
|---------|-----|
| 985910 | 1 |

Jigsaw

230V - 705W

- · Tool free blade locking system
- Nickel plated die-cast base
- Variable speed
- Adjustable orbital action
- · Lock-on switch

| Part No | Qty |
|---------|-----|
| 985940 | 1 |



















HITACHI















General Tools – Power Tools General Tools – Power Tools

Reciprocating Saw

1010W

Standard Accessories: Blade, wrench, carrying case

- · Tool free blade changing system
- Variable speed
- · Adjustable front shoe
- · Large trigger switch
- · External brush caps
- · Blade can be fitted facing up or down for extra versatility



Part No Qty 985942



Impact Drill

Standard Accessories: Side handle, depth stop.

carrying case


· Ergonomic design with soft grip handle

- . 16mm capacity in concrete
- · Lightweight and compact
- · Variable speed
- · Forward/reverse action



Part No Qty 985944





- · Powerful 115mm angle grinder
- · High durability motor
- · Small grip circumference for user comfort



Qty **Part No** 985946



HITACHI

HITACHI



HITACHI



Sander/Polisher

1250W

HITACHI

Standard Accessories: Loop handle, rubber pad, wool bonnet, sanding disc, wrench

Qty

- 180 mm
- Excellent overload protection
- Loop side handle give greater control at all angles
- Constant speed control
- Soft start for even greater control
- Trigger and dial variable speed control
- High bearing durability
- Spindle lock

Part No 985948



HITACHI

Heat Gun

Wattage: 1,375 - 2,000W

Wind volume: 0.25/0.5m3/min (2-stage switch)

Wind temperature: 250/600°C

- 2 Heat Settings
- · Cool air shot for quick cooling down
- Hanging hook for easy storage and stationary use
- Overheating protection
- Soft grip handle for more control and comfort
- Wattage: 1,375 2,000W
- Voltage: 110 240V
- Wind volume: 0.25/0.5m3/min (2-stage switch)

Inspire the Next

Wind temperature: 250/600°C

Part No Qty 985950























