



TUBE & LUBE	
Hose Clips	162
Tube Couplings	171
Brake Tubing & Nuts	177
Hose & Tubing	179
Air Line Couplings	182
Air Tools	185
Gauges	187
Tyre Care	190
Funnels & Jugs	196
Grease Products	198
Taps	201

ACE® Hose Clip Dispenser Rack With Pipe Clips

- Zinc plated mild steel (W1)
- 12 mm band (*9 mm)
- DIN 3017

Hose Clips:
Contains 10 of each size:
12*, 16*, 22*, 27, 32, 35, 40, 45, 50, 60

Pipe Clips:
Contains 20 of each size:
7-11 mm, 11-19 mm

Part No	Qty
110188	Set of 140



Top-Up Packs

- Zinc plated mild steel (W1)
- 12 mm band (*9 mm)
- DIN 3017



Part No	Qty	Size	Range
505221	10	12* (000)	8 - 12 mm (3/8" - 1/2")
505222	10	16* (M00)	10 - 16 mm (1/2" - 5/8")
505223	10	22* (00 & 0)	12 - 22 mm (5/8" - 7/8")
505224	10	27 (0X)	16 - 27 mm (5/8" - 1 1/16")
505225	10	32 (1A)	20 - 32 mm (3/4" - 1 1/4")
505226	10	35 (1)	23 - 35 mm (1" - 1 3/8")
505227	10	40 (1X)	25 - 40 mm (1 1/8" - 1 5/8")
505228	10	45 (1M)	30 - 45 mm (1 1/4" - 1 3/4")
505229	10	50 (2A)	32 - 50 mm (1 1/4" - 1 7/8")
505230	10	60 (2 & 2X)	40 - 60 mm (1 3/4" - 2 3/8")
505231	10	70 (3)	50 - 70 mm (2" - 2 3/4")
505232	10	80 (3X)	60 - 80 mm (2 3/8" - 3 1/8")
505233	10	90 (4)	70 - 90 mm (2 3/4" - 3 1/2")
505234	10	100 (4X)	80 - 100 mm (3 1/4" - 4")
505235	10	120 (5)	100 - 120 mm (3 3/4" - 4 1/2")
505236	10	140 (6)	120 - 140 mm (4 1/4" - 5 1/2")
505237	10	160 (7)	140 - 160 mm (5 1/2" - 6 1/4")
505238	10	Mini Pipe Clips	7 - 11 mm
505239	10	Mini Pipe Clips	10 - 19 mm

ACE® Hose Clip Dispenser Rack Stainless Steel

- 18/8 Marine quality stainless steel (W4)
- 12 mm band (*9 mm)
- DIN 3017

Contains 10 of each size:
12*, 16*, 22*, 27, 32, 35, 40, 45, 50, 60

Part No	Qty
110183	Set of 100



Top-Up Packs

- 18/8 Marine quality stainless steel (W4)
- 12 mm band (*9 mm)
- DIN 3017



Part No	Qty	Size	Range
505321	10	12* (000)	8 - 12 mm (3/8" - 1/2")
505322	10	16* (M00)	10 - 16 mm (1/2" - 5/8")
505323	10	22* (00 & 0)	12 - 22 mm (5/8" - 7/8")
505324	10	27 (0X)	16 - 27 mm (5/8" - 1 1/16")
505325	10	32 (1A)	20 - 32 mm (3/4" - 1 1/4")
505326	10	35 (1)	23 - 35 mm (1" - 1 3/8")
505327	10	40 (1X)	25 - 40 mm (1 1/8" - 1 5/8")
505328	10	45 (1M)	30 - 45 mm (1 1/4" - 1 3/4")
505329	10	50 (2A)	32 - 50 mm (1 1/4" - 1 7/8")
505330	10	60 (2 & 2X)	40 - 60 mm (1 3/4" - 2 3/8")
505331	10	70 (3)	50 - 70 mm (2" - 2 3/4")
505332	10	80 (3X)	60 - 80 mm (2 3/8" - 3 1/8")
505333	10	90 (4)	70 - 90 mm (2 3/4" - 3 1/2")
505334	10	100 (4X)	80 - 100 mm (3 1/4" - 4")
505335	10	120 (5)	100 - 120 mm (3 3/4" - 4 1/2")
505336	10	140 (6)	120 - 140 mm (4 1/4" - 5 1/2")
505337	10	160 (7)	140 - 160 mm (5 1/2" - 6 1/4")

ACE® Miniclamp Dispenser Rack

- Zinc plated mild steel (W1)
- Contains 10 of each size:
7-9 to 16-18 mm



ACE® Miniclamp Dispenser Rack Stainless Steel

- 18/8 marine quality stainless steel (W4)
- Contains 10 of each size:
7-9 to 16-18 mm



Part No	Qty	Part No	Qty
110181	Set of 100	110186	Set of 100

Top-Up Packs

- Zinc plated mild steel (W1)



Top-Up Packs

- 18/8 marine quality stainless steel (W4)



Part No	Qty	Range	Part No	Qty	Range
505171	10	7 - 9 mm	505241	10	7 - 9 mm
505172	10	8 - 10 mm	505242	10	8 - 10 mm
505173	10	9 - 11 mm	505243	10	9 - 11 mm
505174	10	10 - 12 mm	505244	10	10 - 12 mm
505175	10	11 - 13 mm	505245	10	11 - 13 mm
505176	10	12 - 14 mm	505246	10	12 - 14 mm
505177	10	13 - 15 mm	505247	10	13 - 15 mm
505178	10	14 - 16 mm	505248	10	14 - 16 mm
505179	10	15 - 17 mm	505249	10	15 - 17 mm
505180	10	16 - 18 mm	505250	10	16 - 18 mm

ACE® Hose Clip Handipack

- Zinc plated mild steel (W1)
 - 12 mm band (*9 mm)
- Sizes:
12* (000), 16* (M00), 22* (0), 27 (0X), 40 (1X)



Part No	Qty
110184	100

ACE® Hose Clip Handipack Stainless Steel

- 18/8 Marine quality stainless steel (W4)
 - 12 mm band (*9 mm)
- Sizes:
12* (000), 16* (M00), 22* (0), 27 (0X), 40 (1X)



Part No	Qty
110185	60

ACE® T-Bolt Dispenser Rack

- Zinc plated mild steel (W1)
- Sizes:
17 - 19 to 64 - 67 (x5)



Part No	Qty
110187	Set of 70

Top-Up Packs

- Zinc plated mild steel (W1)



Part No	Qty	Range	Bolt Size	Bolt Length
505450	10	17 - 19 mm	M5	40 mm
505451	10	20 - 22 mm	M5	40 mm
505452	10	23 - 25 mm	M5	40 mm
505453	10	26 - 28 mm	M5	40 mm
505454	10	29 - 31 mm	M6	50 mm
505455	10	32 - 35 mm	M6	50 mm
505456	10	36 - 39 mm	M6	50 mm
505457	10	40 - 43 mm	M6	50 mm
505458	10	44 - 47 mm	M6	60 mm
505459	10	48 - 51 mm	M6	60 mm
505460	10	52 - 55 mm	M6	60 mm
505461	10	56 - 59 mm	M6	60 mm
505462	10	60 - 63 mm	M6	60 mm
505463	10	64 - 67 mm	M8	75 mm
505464	10	68 - 73 mm	M8	75 mm
505465	10	74 - 79 mm	M8	75 mm
505466	10	80 - 85 mm	M8	75 mm
505467	10	86 - 91 mm	M8	75 mm
505468	10	92 - 97 mm	M8	75 mm

ACE® T-Bolts Stainless Steel

- 18/8 marine quality stainless steel (W2)



Part No	Qty	Range	Bolt Size	Bolt Length
505410	10	17 - 19 mm	M5	40 mm
505411	10	20 - 22 mm	M5	40 mm
505412	10	23 - 25 mm	M5	40 mm
505413	10	26 - 28 mm	M5	40 mm
505414	10	29 - 31 mm	M6	50 mm
505415	10	32 - 35 mm	M6	50 mm
505416	10	36 - 39 mm	M6	50 mm
505417	10	40 - 43 mm	M6	50 mm
505418	10	44 - 47 mm	M6	60 mm
505419	10	48 - 51 mm	M6	60 mm
505420	10	52 - 55 mm	M6	60 mm
505421	10	56 - 59 mm	M6	60 mm
505422	10	60 - 63 mm	M6	60 mm
505423	10	64 - 67 mm	M8	75 mm
505424	10	68 - 73 mm	M8	75 mm
505425	10	74 - 79 mm	M8	75 mm
505426	10	80 - 85 mm	M8	75 mm
505427	10	86 - 91 mm	M8	75 mm
505428	10	92 - 97 mm	M8	75 mm

ACE® P-Clips Rubber Lined

- EPDM rubber
- Zinc plated mild steel



Part No	Qty	Cable Diameter
255311	50	6 mm
255312	50	8 mm
255313	50	10 mm
255314	50	13 mm
255315	50	16 mm
255316	50	21 mm
255317	50	25 mm
255318	50	29 mm
255319	50	35 mm

ACE® Banding System

- 9 mm band
- 18/8 marine quality stainless steel (W2)
- Measuring guide included



Part No Qty Type

110198	1	30 m Banding System, Housing & Screws
505655	1	30 m Banding System

Part No Qty Type

505657	20	Housing & Screws
505656	100	Housing & Screws

JUBILEE® Hose Clips

- Zinc plated mild steel
- 13 mm band (*9 mm)
- († in branded boxes)



Part No	Qty	Size	Range
505251	10	12* (000)	9.5 - 12 mm (3/8" - 1/2")
505301	25	12* (000)	9.5 - 12 mm (3/8" - 1/2")
505252	10	16* (M00)	11 - 16mm (1/2" - 5/8")
505302	25	16* (M00)	11 - 16mm (1/2" - 5/8")
505253	10†	20* (00)	13 - 20 mm (1/2" - 3/4")
505303	25	20* (00)	13 - 20 mm (1/2" - 3/4")
505254	10†	22 (0)	16 - 22 mm (5/8" - 7/8")
505304	25	22 (0)	16 - 22 mm (5/8" - 7/8")
505255	10†	25 (0X)	18 - 25 mm (3/4" - 1")
505305	25	25 (0X)	18 - 25 mm (3/4" - 1")
505256	10†	30 (1A)	22 - 30 mm (7/8" - 1 1/8")
505306	25	30 (1A)	22 - 30 mm (7/8" - 1 1/8")
505257	10†	35 (1)	25 - 35 mm (1" - 1 3/8")
505307	25	35 (1)	25 - 35 mm (1" - 1 3/8")
505258	10†	40 (1X)	30 - 40 mm (1 1/8" - 1 5/8")
505308	25	40 (1X)	30 - 40 mm (1 1/8" - 1 5/8")
505261	10	45 (1M)	32 - 45 mm (1 1/4" - 1 3/4")
505295	25	45 (1M)	32 - 45 mm (1 1/4" - 1 3/4")
505259	10†	50 (2A)	35 - 50 mm (1 1/4" - 1 7/8")
505260	10†	55 (2)	40 - 55 mm (1 1/2" - 2 1/8")
505262	10	60 (2X)	45 - 60 mm (1 3/4" - 2 1/4")
505296	25	60 (2X)	45 - 60 mm (1 3/4" - 2 1/4")
505263	10	70 (3)	55 - 70 mm (2 1/8" - 2 3/4")
505297	25	70 (3)	55 - 70 mm (2 1/8" - 2 3/4")
505264	10	80 (3X)	60 - 80 mm (2 1/4" - 3")
505314	10	90 (4)	70 - 90 mm (2 3/4" - 3 1/2")
505315	10	100 (4X)	85 - 100 mm (3 1/4" - 4")
505316	10	120 (5)	90 - 120 mm (3 3/4" - 4 1/2")
505290	5	140 (6)	110 - 140 mm (4 1/4" - 5 1/2")
505291	5	150 (6X)	130 - 150 mm (5 1/8" - 5 7/8")
505292	5	165 (7)	135 - 165 mm (5 1/4" - 6 1/2")

JUBILEE® Mini Hose Clips

- Zinc plated mild steel



Part No	Qty	Range
505161	50	7 - 9 mm
505162	50	8 - 10 mm
505163	50	9 - 11 mm
505164	50	10 - 12 mm
505165	50	11 - 13 mm
505166	50	12 - 14 mm
505167	50	13 - 15 mm
505168	50	14 - 16 mm
505169	50	15 - 17 mm
505170	50	16 - 18 mm

CV Clips Stainless Steel

- Sizes:**
25 - 50 mm x 5
40 - 110 mm x 10



Part No	Qty
110165	Set of 15

Hose Clip Dispenser Pack With 3 Flexi Drivers

- Zinc plated mild steel

Contains 10 of each size:
12* (000), 16* (M00), 20* (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A), 55 (2)

Part No	Qty
110163	Set of 100

Hose Clips Small Sizes

- Zinc plated mild steel

Sizes:
12 (000), 16 (M00), 20 (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A), 55 (2)



Part No	Qty
110153	50

Hose Clips Large Sizes

- Zinc plated mild steel

Sizes:
60 (2X), 70 (3), 80 (3X), 90 (4), 100 (4X)



Part No	Qty
110177	25

Hose Clip Box Dispenser Pack

- Zinc plated mild steel

Contains 10 of each size:
12* (000), 16* (M00), 20* (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A), 55 (2)



Part No	Qty
110154	Set of 100



HI-GRIP Hose Clips

- Heavily zinc plated mild steel
- 13 mm band (*10 mm)



Part No	Qty	Size	Range
505181	30	12* (000)	9.5 - 12 mm (3/8" - 1/2")
505182	30	16* (M00)	11 - 16 mm (1/2" - 5/8")
505183	30	20* (00)	13 - 20 mm (1/2" - 3/4")
505184	30	22 (0)	14 - 22 mm (5/8" - 7/8")
505185	30	25 (0X)	17 - 25 mm (3/4" - 1")
505186	30	30 (1A)	22 - 30 mm (7/8" - 1 1/8")
505187	20	35 (1)	25 - 35 mm (1" - 1 3/8")
505188	20	40 (1X)	30 - 40 mm (1 1/8" - 1 5/8")
505189	20	45 (1E) - Fits Top Hose	35 - 45 mm (1 3/8" - 1 3/4")
505190	20	50 (2A)	35 - 50 mm (1 1/4" - 1 7/8")
505191	20	55 (2)	40 - 55 mm (1 1/2" - 2 1/8")
505192	20	60 (2X)	45 - 60 mm (1 3/4" - 2 3/8")
505193	20	70 (3X)	55 - 70 mm (2" - 2 3/4")
505194	20	80 (3X)	60 - 80 mm (2 3/8" - 3 1/8")
505195	15	90 (4)	70 - 90 mm (2 3/4" - 3 1/2")
505196	15	100 (4X)	80 - 100 mm (3 1/8" - 4")
505197	10	120 (5)	90 - 120 mm (3 3/4" - 4 1/2")
505198	10	140 (6)	110 - 140 mm (4 1/4" - 5 1/2")
505199	10	160 (7)	130 - 160 mm (5 1/8" - 6 1/4")

Assorted Pack Small Sizes

- Heavily zinc plated mild steel

Sizes:
12 (000), 16 (M00), 20 (00), 22 (0),
25 (0X), 30 (1A), 35 (1), 40 (1X),
50 (2A), 55 (2)



Part No	Qty
110136	50

Assorted Pack Large Sizes

- Heavily zinc plated mild steel

Sizes:
60 (2X), 70 (3), 80 (3X), 90 (4),
100 (4X), 120 (5), 140 (6), 160 (7)



Part No	Qty
110137	24

HI-GRIP Hose Clip Dispenser

- Heavily zinc plated mild steel

Contains 10 of each size:

12* (000), 16* (M00), 20* (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X),
45 (1E), 50 (2A)



Part No	Qty
110150	Set of 100

HI-GRIP Hose Clips Stainless Steel

- 18/8 marine quality stainless steel
- 13 mm band (*10 mm)



Part No	Qty	Size	Range
505201	10	12* (000)	9.5 - 12 mm (3/8" - 1/2")
505202	10	16* (M00)	11 - 16 mm (1/2" - 5/8")
505203	10	20* (00)	13 - 20 mm (1/2" - 3/4")
505204	10	22 (0)	14 - 22 mm (5/8" - 7/8")
505205	10	25 (0X)	17 - 25 mm (3/4" - 1")
505206	10	30 (1A)	22 - 30 mm (7/8" - 1 1/8")
505207	10	35 (1)	25 - 35 mm (1" - 1 3/8")
505208	10	40 (1X)	30 - 40 mm (1 1/8" - 1 5/8")
505209	10	50 (2A)	35 - 45 mm (1 3/8" - 1 3/4")
505210	10	55 (2)	40 - 55 mm (1 1/2" - 2 1/8")
505211	10	60 (2X)	45 - 60 mm (1 3/4" - 2 3/8")
505212	10	70 (3)	55 - 70 mm (2" - 2 3/4")
505213	5	80 (3X)	60 - 80 mm (2 3/8" - 3 1/8")
505214	5	90 (4)	70 - 90 mm (2 3/4" - 3 1/2")
505215	5	100 (4X)	80 - 100 mm (3 1/8" - 4")
505216	5	120 (5)	90 - 120 mm (3 3/4" - 4 1/2")
505217	5	140 (6)	110 - 140 mm (4 1/4" - 5 1/2")
505218	5	160 (7)	130 - 160 mm (5 1/8" - 6 1/4")

Assorted Pack

- 18/8 marine quality stainless steel

Sizes:

12 (000), 20 (00), 22 (0), 25 (0X), 30 (1A), 35(1), 40 (1X)

Part No	Qty
110205	24



Hose Clip Drivers Flexible

- 7 mm Nut spinners



Part No	Qty
505273	1

Nut Spinner For 7 mm Nuts

- 200 mm long



Part No	Qty
505119	1

ACE® Hose Clip Driver 7 mm Flexi Driver

- 280 mm long



Part No	Qty
505120	1

Push Fit Couplings Metric Equal Straights

Part No	Qty	Hose O.D
625700	10	4 mm
625701	10	5 mm
625702	10	6 mm
625703	10	8 mm

Jubilee P-Clips Rubber Lined

- EPDM rubber
- Zinc plated mild steel



Part No	Qty	Cable Diameter
255299	50	6 mm
255300	50	8 mm
255301	50	10 mm
255302	50	13 mm
255303	50	16 mm
255304	25	21 mm
255307	25	25 mm
255305	25	29 mm
255306	25	35 mm

Assorted Pack

Sizes:
6 - 35 mm



Ace Petrol Pipe Clips

- Zinc plated
- 5 mm band



Part No	Qty	Range
505136	20	7 - 11 mm
505137	20	11 - 19 mm

Part No	Qty	Hose O.D
625704	5	10 mm
625705	5	12 mm
625706	5	15 mm

Push Fit Couplings Metric Equal Elbows



Part No	Qty	Hose O.D
625730	5	4 mm
625731	5	5 mm
625733	5	6 mm
625734	5	8 mm
625735	5	10 mm
625736	5	12 mm

SPEEDFIT Couplings Imperial Equal Straights



Part No	Qty	Hose O.D
625206	10	5/32"
625207	10	3/16"
625208	10	1/4"
625209	10	5/16"
625210	5	3/8"
625211	5	1/2"

Assorted Box

Sizes:
5/32" - 1/2"



Part No	Qty
105172	24

Push Fit Couplings Metric Equal Tees



Part No	Qty	Hose O.D
625720	5	4 mm
625721	5	5 mm
625722	5	6 mm
625723	5	8 mm
625724	5	10 mm
625726	5	12 mm

SPEEDFIT Couplings Metric Equal Straights



Part No	Qty	Hose O.D
625201	10	4 mm
625200	10	5 mm
625202	10	6 mm
625203	10	8 mm
625204	5	10 mm
625205	5	12 mm
625199	5	15 mm

Assorted Box


Sizes:
4 - 12 mm



Part No	Qty
105173	24

SPEEDFIT Couplings

Metric Equal Elbows



Part No	Qty	Hose O.D
625229	5	4 mm
625242	5	5 mm
625230	5	6 mm
625231	5	8 mm
625232	5	10 mm
625233	5	12 mm


SPEEDFIT Couplings

Metric Equal Tees



Part No	Qty	Hose O.D
625218	5	4 mm
625241	5	5 mm
625219	5	6 mm
625220	5	8 mm
625221	5	10 mm
625222	5	12 mm

Reducing Straight Connector



Part No	Qty	Size
625245	5	10 - 8 mm

Tee Connectors Plastic



- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D
625651	5	4 mm
625652	5	6 mm
625653	5	8 mm
625654	3	10 mm
625655	3	12 mm

Elbow Connectors Plastic



- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D
625671	5	6 mm
625672	3	12 mm

Assorted Box Equal Tees & Elbows

Sizes:
4 - 12 mm



Part No	Qty
105150	26

Straight Connectors Plastic



- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D
625631	5	4 mm
625632	5	5 mm
625633	5	6 mm
625634	5	8 mm
625635	3	10 mm
625636	3	12 mm
625638	3	16 mm

Swivel Elbows Plastic

- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D	Thread
625661	5	4 mm	1/8" BSPT
625662	5	6 mm	1/8" BSPT
625663	5	8 mm	1/8" BSPT
625664	5	6 mm	1/4" BSPT
625665	5	8 mm	1/4" BSPT
625666	3	10 mm	1/4" BSPT
625667	3	12 mm	3/8" BSPT
625668	3	10 mm	1/2" BSPT
625669	3	12 mm	1/2" BSPT



Straight Studs

- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D	Thread
625641	5	4 mm	1/8" BSPT
625642	5	6 mm	1/8" BSPT
625643	5	8 mm	1/8" BSPT
625644	5	6 mm	1/4" BSPT
625645	5	8 mm	1/4" BSPT
625646	3	10 mm	1/4" BSPT
625647	3	10 mm	3/8" BSPT
625648	3	12 mm	3/8" BSPT
625649	3	10 mm	1/2" BSPT
625650	3	12 mm	1/2" BSPT



'Y' Connectors Plastic

- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D
625681	5	6 mm
625682	5	8 mm



Brass Tube Couplings Metric

- With Stepped Olives

Part No	Qty	Size
615279	10	4 mm
615178	10	5 mm
615280	10	6 mm
615181	10	8 mm
615282	10	9 mm
615182	10	10 mm
615283	5	12 mm



Stem Reducers Plastic

- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D
625602	5	6 - 4 mm
625601	5	8 - 6 mm
625603	5	10 - 8 mm



Plastic Plugs

Part No	Qty	Hose O.D
625621	5	6 mm
625622	5	8 mm
625623	3	10 mm
625624	3	12 mm



Assorted Box

Sizes:
4 - 12 mm



Part No	Qty
105269	25 Sets

Brass Elbow Connectors
Metric - Push-In



Part No	Qty	Hose O.D
625341	5	6 mm
625342	5	8 mm
625343	3	10 mm
625344	3	12 mm

Brass Tee Connectors
Metric - Push-In



Part No	Qty	Hose O.D
625331	5	6 mm
625332	5	8 mm
625333	3	10 mm
625334	3	12 mm

Brass Straight Connectors
Metric - Push-In



- For secure seals on air braking & suspension systems

Working pressure:
0 to 100 bar
Temperature:
-40°C - 100°C

Part No	Qty	Size
625301	5	4 mm
625302	5	5 mm
625303	5	6 mm
625304	5	8 mm
625307	3	9 mm
625305	3	10 mm
625321	3	11 mm
625306	3	12 mm
625322	3	15 mm
625323	3	16 mm

Brass Tube Couplings
Imperial



- With Stepped Olives

Part No	Qty	Size
615227	10	3/16"
615228	10	1/4"
615229	10	5/16"
615130	10	3/8"
615231	5	1/2"

Assorted Box

Sizes:
3/16" - 1/2"



Part No	Qty
105270	25 Sets

Brass Straight Studs
Metric - Push-In



Part No	Qty	Hose O.D	Thread
625351	5	6 mm	M10 x 1
625352	5	8 mm	M10 x 1
625353	5	10 mm	M10 x 1
625354	3	6 mm	M12 x 1.5
625355	3	8 mm	M12 x 1.5
625356	3	10 mm	M12 x 1.5
625357	3	12 mm	M12 x 1.5
625358	3	6 mm	M14 x 1.5
625359	3	8 mm	M14 x 1.5
625360	3	10 mm	M14 x 1.5
625361	3	12 mm	M14 x 1.5
625362	3	6 mm	M16 x 1.5
625363	3	8 mm	M16 x 1.5
625364	3	10 mm	M16 x 1.5
625365	3	12 mm	M16 x 1.5
625366	3	16 mm	M16 x 1.5
625367	3	6 mm	M22 x 1.5
625368	3	8 mm	M22 x 1.5
625369	3	10 mm	M22 x 1.5
625370	3	12 mm	M22 x 1.5
625371	3	15 mm	M22 x 1.5
625372	3	16 mm	M22 x 1.5

Brass Elbow Studs
Metric - Push-In



Part No	Qty	Hose O.D	Thread
625381	3	6 mm	M12 x 1.5
625382	3	8 mm	M12 x 1.5
625383	3	10 mm	M12 x 1.5
625384	3	8 mm	M16 x 1.5
625385	3	10 mm	M16 x 1.5
625386	3	12 mm	M16 x 1.5
625387	3	8 mm	M22 x 1.5
625388	3	10 mm	M22 x 1.5
625389	3	12 mm	M22 x 1.5
625390	3	16 mm	M22 x 1.5

Straight Adaptors



- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D	Thread
625481	3	8 mm	1/4" BSP
625482	5	10 mm	1/4" BSP
625483	3	12 mm	1/4" BSP

Brass Straight Connectors



- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D
625501	5	6 mm
625502	5	8 mm
625503	3	10 mm
625504	3	12 mm
625505	3	14 mm

Brass Tee Connectors



- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D
625511	5	6 mm
625512	5	8 mm
625513	3	10 mm

Brass Elbow Connectors



- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D
625521	5	6 mm
625522	5	8 mm
625523	3	10 mm

Brass Bulkhead Connectors



- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without the use of tools

Part No	Qty	Hose O.D
625531	5	6 mm
625532	5	8 mm

Steel Adaptors



Part No	Qty	Thread
625422	3	M22 x 1.5 - M16 x 1.5

Brass Couplings
High Quality - Metric



Part No	Qty	Size
615270	10	10 mm

Brass Straight Studs



- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without the use of tools



Part No	Qty	Hose O.D	Thread
625541	5	4 mm	1/8" BSP
625542	5	5 mm	1/8" BSP
625543	5	6 mm	1/8" BSP
625544	5	8 mm	1/8" BSP
625546	5	6 mm	1/4" BSP
625547	5	8 mm	1/4" BSP
625548	3	10 mm	1/4" BSP
625549	5	8 mm	3/8" BSP
625550	3	10 mm	3/8" BSP
625551	3	10 mm	1/2" BSP

Thrust Rings



Part No	Qty	Size
625441	25	M10
625442	25	M12
625443	25	M14
625444	25	M16
625445	25	M18
625446	25	M22

O' Rings



Part No	Qty	Size
625451	50	M10
625452	50	M12
625453	50	M14
625454	50	M16
625455	50	M18
625456	50	M22

Brass Swivel Elbow Studs



- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without the use of tools



Part No	Qty	Hose O.D	Thread
625561	5	4 mm	1/8" BSP
625562	5	6 mm	1/8" BSP
625563	5	8 mm	1/8" BSP
625564	3	10 mm	1/8" BSP
625565	5	6 mm	1/4" BSP
625566	5	8 mm	1/4" BSP
625567	3	10 mm	1/4" BSP
625568	5	8 mm	3/8" BSP

Butterfly Train Tap



Part No	Qty	Thread
625470	5	1/4" BSP

Reducing Sockets

- Malleable iron



Part No	Qty	Thread
625475	5	1/4" BSP - 3/8" BSP
625476	5	1/4" BSP - 1/2" BSP

RAUFOSS Straight Studs



Part No	Qty	Thread
625480	3	M12 x 1.5

Brake Nuts

- 10 mm (1.00 mm Pitch)
- Suits 3/16" pipe



Part No	Qty	
305110	50	Short Male
305122	50	Long Male
305123	50	Fully Threaded Male
305111	50	Female

Assorted Box Male & Female

Contains popular imperial & metric sizes



Part No	Qty
105145	135

Brake Tubing Connectors

- 10 mm (1.00 mm Pitch)
- Suits 3/16" pipe



Part No	Qty	
305146	25	Male 2-Way
305147	25	Female 2-Way
305148	3	Female 3-Way

Brake Nuts

- 3/8" UNF (24 tpi)
- Suits 3/16" pipe



Part No	Qty	
305141	50	Short Male
305109	50	Female
305108	50	Long Male

Brake Tubing Connectors

- 3/8" UNF (24 tpi)



Part No	Qty	
305149	25	Female 2-Way
305150	3	Female 3-Way

Brake Nuts

- 10 mm (1.25 mm Pitch)
- Suits 3/16" pipe



Part No	Qty	
305121	50	Short Male
305120	50	Long Male
305142	50	Fully Threaded Male

Brake Nuts Male

- 12 mm (1.0 mm Pitch)
- Suits 3/16" pipe



Part No	Qty
305143	50

Brake Nuts

- 7/16" UNF (20 tpi)
- Suits 1/4" pipe



Part No	Qty	Type
305112	25	Male
305113	25	Female

Brake Tubing Cupro-Nickel

- Seamless 90/10 cupro-nickel
- 100% Electronically and pressure tested
- Guaranteed against the effects of weather and seasonal salt
- Internal cleanliness exceeds BLS-30-JC-101
- Conforms to BS 2871 PT2 CN102



Part No	Qty	Length	O.D
305201	1	25 ft	6 mm
305202	1	25 ft	8 mm
305203	1	25 ft	10 mm
305103	1	25 ft	3/16"
305104	1	25 ft	1/4"
305105	1	25 ft	5/16"
305106	1	25 ft	3/8"
305107	1	25 ft	1/2"

Copper Piping

- 22 gauge
- High quality copper pipe
- Designed for strength and durability



Part No	Qty	Length	O.D
605116	1	25 ft	3/16"
605117	1	25 ft	1/4"
605118	1	25 ft	5/16"
605119	1	25 ft	3/8"

Brake Bleed Screws



Part No	Qty	Size	Length	Pitch
305226	25	1/4" UNF	28 mm	28 tpi
305227	25	3/8" UNF	31 mm	24 tpi
305236	25	M6	26 mm	1 mm
305233	25	M7	21.7 mm	1 mm
305234	25	M8	26.5 mm	1.25 mm
305235	25	M10	30 mm	1 mm

Flaring Tool Set Hand Held

- Simple step by step instructions for perfect flares
- One Piece construction adapts to all pipe sizes without the need to dismantle



Part No	Qty
305140	1 Set

Pipe Flaring, Punch & Die Box Set

- Complete with 3/16" & 4.75 mm punches & dies
- Fast action cam, spring return for a faster punch operation
- Suitable for bench mounting



Part No	Qty
305130	1 Set

Fuel Hose Rubber

- Resists oil, diesel & petrol
- Working pressure 120 psi (8 bar)
- Approved to BSAU 108/2



Part No	Length	I.D	Colour
605001	1 m	5 mm (3/16")	Black
605002	1 m	6 mm (1/4")	Black
605004	1 m	9.5 mm (3/8")	Black

Fuel Injection Hose

- Black rubber fuel injection hose



*Complete with 2 mini hose clips

Part No	Length	I.D	O.D
605110	1 m*	4.8 mm	11.6 mm
605111	1 m*	5.6 mm	12.6 mm
605112	1 m*	7.6 mm	14.6 mm
605113	1 m*	9.5 mm	16.5 mm
605160	5 m	5.6 mm	12.6 mm
605162	5 m	7.6 mm	14.6 mm
605164	5 m	9.5 mm	16.5 mm

Diesel Leakoff Kit


- 2 x 3.4mm Bore Diesel Injector Plugs
- 1 x 1m Over braided Hose



Part No	Qty
605120	1

PVC Tubing Clear

- Suitable for windscreen washers



Part No	Length	I.D
775111	30 m	3 mm (1/8")
775113	30 m	4 mm (5/32")
775112	30 m	5 mm (3/16")
775108	30 m	6 mm (1/4")
775109	30 m	8 mm (5/16")
775115	30 m	13 mm (1/2")

Fuel Hose Rubber

- Temperature range -20°C - 100°C
- Approved to BSAU 108/2/L4/C4R



Part No	Length	I.D
605105	10 m	5 mm (3/16")
605106	10 m	6 mm (1/4")
605107	10 m	8 mm (5/16")
605108	10 m	9.5 mm (3/8")

Fuel Hose Overbraided

- Nitrile lining resists oil, diesel & petrol
- Working temperature of up to 100°C



Part No	Length	I.D
605141	5 m	3.5 mm
605142	5 m	5 mm
605143	5 m	6 mm
605144	5 m	7 mm
605145	5 m	8 mm
605146	5 m	10 mm

Servo Hose

- 5 bar working pressure
- 25 bar burst pressure



Part No	Length	I.D
605032	1 m	9.5 mm (3/8")
605130	4 m	9.5 mm (3/8")

Rubber Tubing Black



Part No	Length	Size
775110	30 m	3 mm

Semi Rigid Nylon Tubing Imperial



- Suitable for lube, air & fuel lines

Part No	Length	O.D
605220	30 m	1/8"
605221	30 m	3/16"
605222	15 m	1/4"
605223	15 m	5/16"
605224	15 m	3/8"
605225	15 m	1/2"

Semi Rigid Nylon Tubing Metric



- Yellow
- Suitable for lube, air & fuel lines

Part No	Length	O.D
605295	30 m	4 mm
605296	30 m	5 mm
605297	15 m	6 mm
605298	15 m	8 mm
605299	15 m	10 mm
605300	15 m	12 mm

Nylon Tube Cutter



- Quick square cut action
- For up to 13 mm diameter

Part No	Qty
985351	1

Heater Hose

- Coolant resistant from -40°C to 100°C



Part No	Length	I.D
605070	1 m	13 mm (1/2")
605090	20 m	13 mm (1/2")
605072	1 m	16 mm (5/8")
605091	20 m	16 mm (5/8")
605074	1 m	19 mm (3/4")
605093	20 m	19 mm (3/4")
605077	1 m	25 mm (1")

Nylon Tubing Clear - Braided



- Reinforced PVC

Part No	Length	I.D
605096	30 m	5 mm (3/16")
605097	30 m	6 mm (1/4")
605098	30 m	8 mm (5/16")
605099	30 m	10 mm (3/8")
605100	30 m	13 mm (1/2")
605101	30 m	16 mm (5/8")
605102	30 m	19 mm (3/4")
605103	30 m	25 mm (1")

Advance / Retard Tubing

- Vacuum hose
- PVC / nitrile rubber



Part No	Length	I.D	O.D
605151	10 m	3 mm (1/8")	9 mm
605152	10 m	4 mm (5/32")	10 mm

Air Line Hoses



- Rubber
- 20 bar

Part No	Length	I.D
805301	15 m	6 mm (1/4")
805302	15 m	8 mm (5/16")
805303	15 m	10 mm (3/8")
805304	15 m	12.5 mm (1/2")

Air Line Hoses With BSP Swivel Nuts



- Black rubber
- 300 psi

Part No	Size	Length	O.D
805311	1/4" BSP	10 m	6 mm (1/4")
805312	1/4" BSP	10 m	8 mm (5/16")
805313	3/8" BSP	10 m	10 mm (3/8")

Overbraided Air Line Hoses With 1/4" BSP Swivel Nuts



- Black PVC
- 300 psi

Part No	Length	O.D
805101	10 m	8 mm (5/16")
805102	20 m	8 mm (5/16")

Air Line Hoses Hi-Vis



- High visibility PVC
- Highly flexible & durable
- Oil & abrasion resistance

Temperature range:
-20°C to 70°C

Part No	Length	I.D
805321	10 m	8 mm (1/4")
805320	10 m	10 mm (3/8")

Recoiled Air Line Nylon



- Spring ends with 1/4" BSP swivel nuts

Part No	Qty	O.D	Work Length
805103	1	10 mm (3/8")	25ft

'O' Clips 2-Ear



- Zinc plated

Part No	Qty	Range	I.D
505150	50	5 - 7 mm	1/4"
505151	50	7 - 9 mm	5/16"
505138	50	8 - 11 mm	3/8"
505139	50	9 - 11 mm	7/16"
505140	50	11 - 13 mm	1/2"
505141	50	13 - 15 mm	9/16"
505142	50	15 - 18 mm	5/8"
505146	25	17 - 20 mm	3/4"
505147	25	20 - 23 mm	7/8"
505148	20	23 - 27 mm	1"

Assorted Box



Sizes:
3/8" - 7/8"

Part No	Qty
105159	125

'O' Clip Pliers



- Plastic coated handles
- Side closing type

Part No	Qty
505145	1

Pipe Joiners



- Zinc plated

Part No	Qty	Hose O.D
625147	10	1/4"
625148	10	5/16"
625149	10	3/8"
625150	10	1/2"
625151	10	5/8"

Pipe Repair Kit 'O' Clips & Pipe Joiners

Pipe Joiners:
1/4" - 5/8"

'O' Clips:
1/2" - 7/8"



Part No	Qty
105168	72

Quick Wrap Pipe Repair Kit

- Permanently repairs almost all materials
- Sets like steel in as little as 30 minutes
- Handles temperatures up to 480°C & pressures in excess of 20 bar
- Suitable for under water repairs



Contains:
Fibreglass Tape, Repair Putty, Protective Vinyl Gloves

Part No	Qty	Length	Width
605019	1	1.5 m	50 mm
605020	1	2.75 m	76 mm

Airflow Twin Couplings With standard Male Adaptor

- Compatible with standard adapters
- For producing two supplies from a single source



Part No	Qty
805107	1

Vertex Couplings

- Compatible with standard adapters



Part No	Qty	Thread Type	Thread
805106	3	Female (Parallel)	1/4" BSP
805118	3	Male (Taper)	1/4" BSP

Vertex Couplings

Contains
Coupling body, screwed adaptor, integral adaptor/tailpiece



Part No	Qty	Hole Size
110212	3 Piece Set	6.35 mm
110211	3 Piece Set	7.90 mm
110213	3 Piece Set	9.50 mm

Airflow Couplings

- Compatible with standard adapters



Part No	Qty	Thread Type	Thread
805104	3	Female (Parallel)	1/4" BSP
805125	3	Male (Taper)	1/4" BSP

Standard Screwed Adaptors

- For use with Airflow & Vertex couplings



Part No	Qty	Thread Type	Thread
805109	5	Female (Parallel)	1/4" BSP
805108	5	Male (Taper)	1/4" BSP

XF Series Couplings



Part No	Qty	Thread Type	Thread
805141	1	Female (Parallel)	1/4" BSP
805142	1	Male (Taper)	1/4" BSP

XF Series Screwed Adaptors



Part No	Qty	Thread Type	Thread
805144	5	Female (Parallel)	1/4" BSP
805143	5	Male (Taper)	1/4" BSP

XF Series Integral Adaptors / Tailpieces



Part No	Qty	Bore	Hose Size
805145	5	7.90 mm	5/16"
805146	5	9.50 mm	3/8"
805147	3	12.7 mm	1/2"

60 Series Couplings

- For general industrial applications

Part No	Qty	Thread Type	Thread
805201	1	Female (Taper)	1/4" BSP
805205	1	Male (Taper)	1/4" BSP
805202	1	Female (Taper)	3/8" BSP
805206	1	Male (Taper)	3/8" BSP

Standard Integral Adaptors / Tailpieces

- For use with Airflow & Vertex couplings



Part No	Qty	Bore	Hose Size
805110	5	6.35 mm	1/4"
805126	5	7.90 mm	5/16"
805120	5	9.50 mm	3/8"

Reducing Bushes



Part No	Qty	Thread Type	Thread
805151	3	Male (Taper) x Female (Parallel)	3/8" BSP x 1/4" BSP
805150	3	Male (Taper) x Female (Parallel)	1/2" BSP x 1/4" BSP

60 Series Screwed Adaptors



Part No	Qty	Thread Type	Thread
805211	3	Male (Taper)	1/4" BSP
805212	3	Male (Taper)	3/8" BSP

60 Series Integral Adaptors / Tailpieces



Part No	Qty	Bore	Hose Size
805218	3	9.50 mm	3/8"
805219	3	12.7 mm	1/2"

Reducing Unions



Part No	Qty	Thread Type	Thread
805154	3	Male (Taper)	1/2" x 1/4" BSP

Double Unions



Part No	Qty	Thread Type	Thread
805112	5	Male (Parallel)	1/4" BSP

Union Nuts



Part No	Qty	Thread
805158	5	1/4" BSP

Coned Tailpiece With Union Nuts



Part No	Qty	Bore	Hose Size	Thread
805105	5 Sets	6.5 mm	1/4"	1/4" BSP

Screwed Tailpieces



Part No	Qty	Bore	Hose Size	Thread
805111	5	6.35 mm	1/4"	1/4" BSP
805127	5	7.90 mm	5/16"	1/4" BSP
805122	5	9.50 mm	3/8"	1/4" BSP
805139	5	12.7 mm	1/2"	1/4" BSP
805136	3	12.7 mm	1/2"	1/2" BSP

M100 Series Integral Adaptors/Tailpieces



Part No	Qty	Hose Size
805163	3	3/8" BSP
805100	3	1/2" BSP

M100 Series Couplings



• For industrial applications

Part No	Qty	Thread Type	Thread
805161	1	Female (Taper)	3/8" BSP

Part No	Qty	Thread Type	Thread
805098	1	Female (Taper)	1/2" BSP

Part No	Qty	Thread Type	Thread
805133	1	Male (Taper)	1/2" BSP

M100 Series Screwed Adaptors



Part No	Qty	Thread Type	Thread
805162	3	Male (Taper)	3/8" BSP
805099	3	Male (Taper)	1/2" BSP

M100 Series Coupling



Contains: Coupling body, screwed adapter, integral adapter/tailpiece

Part No	Qty	Hole Size
110214	3 Piece Set	12.7mm

Hose Connectors



Part No	Qty	Bore	Hose Size
805171	5	6.35 mm	1/4"
805172	5	7.90 mm	5/16"
805173	5	9.50 mm	3/8"
805174	5	12.7 mm	1/2"

Impact Wrench



• Torque at 90 psi: 540 Nm

Part No	Qty	Size
985521	1	1/2"

Impact Wrench With Extended Shank



• Torque at 90 psi: 2450 Nm

Part No	Qty	Size
985526	1	1"

Ratchet



• Torque at 90 psi: 60 Nm

Part No	Qty	Size
985522	1	3/8"

Reversible Air Drill



• Chuck Size: 3/8" (10 mm)
• Free Speed: 1800 rpm

Part No	Qty	Size
985523	1	3/8"

Die Grinder



• Collet Size: 6 mm
• Free Speed: 22000 rpm

Part No	Qty	Thread
985524	1	1/4"

Mini Die Grinder



Small, lightweight series of hand-tools allowing access to tight, hard to reach places

- Fits standard 6 mm grinding bits
- Safety lever to prevent accidental start-up
- Very lightweight
- 2006/42/EEC & EN 792-6

Part No	Qty	Thread
985510	1	1/4"

Mini Angle Die Grinder



Small, lightweight series of hand-tools allowing access to tight, hard to reach places

- Allows small areas to be cut or ground away, e.g
- areas of heavy rust or dirt penetration
- 2006/42/EEC & EN 792-6

Part No	Qty	Thread
985514	1	1/4"

Mini Ratchet



Small, lightweight series of hand-tools allowing access to tight, hard to reach places

- 17 Nm of power for easy 'running-up'
- Small sizes allows operator to reach very tight spaces in the engine bay or underbody work
- 2006/42/EEC & EN 792-6

Part No	Qty	Size	Thread
985511	1	1/4"	1/4"
985513	1	3/8"	1/4"

Mini Straight Drill



Small, lightweight series of hand-tools allowing access to tight, hard to reach places

- 10 mm Chuck takes standard drill bits
- Small size allows operator to drill in very tight spaces
- 2006/42/EEC & EN 792-6

Part No	Qty	Thread
985512	1	1/4"

Orbital Sander

- Stroke Orbit Size: 8 mm
- Free Speed: 10000 rpm



Part No
985525

Qty
1

Blowgun High quality die-cast alloy

- High quality die-cast alloy
- Conical nozzle



Part No
805191

Qty
1

Blowgun With Safety Nozzle

- High quality die-cast alloy
- Pressure: 28 psi



Part No
805113

Qty
1

Dial Tyre Pressure Gauge

- Twin hold-on (open end)
- **Dual calibrated:** 0 - 170 lbf/in² & 0 - 12 bar



Part No
805189

Qty
1

Blowgun Pistol Grip

Moulded special acetal resin to resist damage for use with air & water

- Max supply pressure: 10 bar / 140 lbf/in²
- Connection: 1/4" Female
- Air Flow: 270 l/min / 9.3 cfm
- Temperature Range: 0 to 80°C



Part No
805132

Qty
1

Service Tyre Pressure Gauge Universal

- **Dual calibrated:** 10 - 160 lbf/in² & 0.8 - 11.0 bar



Part No
805188

Qty
1

Pocket Service Tyre Pressure Gauge

- **Dual calibrated:** 10 - 120 lbf/in² & 0.8 - 8.2 bar



Part No
805160

Qty
1

Pocket Tyre Pressure Gauge With Angled Head

- **Dual calibrated:** 6 - 50 lbf/in² & 0.5 - 3.4 bar



Part No
805187

Qty
1

Compressor Direct Drive

Fitted with genuine PCL 'Airflow' couplings on the outlet. Supplied with full CE certification, test certificates & operating manual. Solid, stable and completely portable

- Fitted with genuine single stage 2 HP motor
- **Air receiver:** 24 l
- **Air Flow:** 206 l/min / 7.3 cfm
- **Noise:** 82 DbA
- **Dimensions:** 59 x 28 x 62 cm
- **Weight:** 26 kg



Part No
805250

Qty
1

Tyre Inflator Economy Tyre Inflator

- General purpose tyre inflator with rubber protected gauge
- Euro style tyre valve connector with 0.5 m of air hose



Gauge diameter:
63 mm

Dual calibrated:
0 - 170 lbf/in² in 2lb units & 0 - 12 bar in 0.1 units

Part No
805192

Qty
1

Tyre Inflator Digital Hand Held Tyre Inflator

- Light weight
- Shock resistance
- Easy to read digital display

Maximum inflation pressure of 12 bar, resolution 0.01 bar, inflation flow 910 l/min at 13 bar supply & operating temperature -20°C to 60°C



Part No
805193

Qty
1

Tyre Inflator Dial Type Tyre Inflator

- Fast inflation / deflation rates
- Shock resistance
- Clear dial display



Maximum inflation pressure of 12 bar, resolution 0.01 bar, inflation flow 910 l/min at 13 bar supply & operating temperature -20°C to 60°C

Part No
805194

Qty
1

Tyre Inflator DTI Tyre Inflator

- Large, clear, easy to read display with backlight
- Reliable accuracy (+/- 1psi up to 60 psi, then 2 psi up to 150 psi) with individual testing and certification
- Suitable for all applications including tyreshop environments
- 1.8 m hose



Pressure Range:
5 - 170 psi / 0.34 - 12 bar / 34 - 1200 kPa
Maximum Supply Pressure: 218 psi / 15 bar / 150 kPa
Inflation flow:
910 l/min

Part No
805240

Qty
1

Tyre Tread Depth Gauge



- 1.0 - 6.0 mm markings



Part No	Qty
805119	3

Tyre Valve Tool



- Re-threads the inside & outside threads of the valve stem
- Removes valve cores & extracts damaged cores



Part No	Qty
805134	1

Digital Tyre Pressure & Depth Gauge



- Self-calibrating with a 90 second auto power off function



Calibration:
0 - 100 psi & 0 - 0.8"

Part No	Qty
805196	1

Regulator 1/4" Female



- Polycarbonate bowl with protective metal surrounds
- Manual / semi-automatic drains
- Complete with wall brackets & pressure gauges



Pressure rating:
12 bar

Part No	Qty
805140	1

Tyre Valve Connectors Twin Clip-On



- Open End



Part No	Qty
805128	1

Twin Hold-On (Open End)



Part No	Qty
805115	1

Twin Hold-On (Closed End)



Part No	Qty
805116	1

Single Clip-On (Open End)



Part No	Qty
805114	1

Foot Pump E35



- Preset dial gauge
- Single steel barrel
- Complete with air bed, cycle valve & football adapters



Part No	Qty
805184	1

MK4 Whip Hose 0.53 m (21") Length



- For MK4 Air Line Gauge



Part No	Qty
805185	1

AIRFORCE® MK4 Tyre Inflator



- Larger window gives 20% greater field of viewing
- Gauge body weighs only 1kg / 2lbs, less work strain and easier for repetitive use
- Ergonomic, easier to use and less prone to damage when dropped
- Simplified 2 stage mechanism design prevents user having to "push" against full line pressure on deflate preventing fatigue
- New design, less drag, reduced friction & less movement inertia means no internal corrosion, no sticking and no skewing of accuracy - Longer life and accuracy
- Greater magnification providing faster and more accurate reading of results. Highest reliability tested on all hose lengths vs other gauges.
- Tested to over 400,000 cycles at 100% accuracy, and compliant with EN12645:2014



Dual calibrated:

0 - 138 lbf/in² & 0 - 9.6 bar

Part No	Qty	Type	Hole Size
805129	1	Twin Hold-On	0.53 m / 21"
805181	1	Single Clip-On	0.53 m / 21"
805130	1	Twin Clip-On	2.7 m / 9 ft
805182	1	Single Clip-On	2.7 m / 9 ft

ACCURA® MK4 Tyre Inflator

Digital



- Extremely robust aluminium body with protective rubber bumper
- Small 'stubby' body is the lightest metal bodied digital inflator on the market
- Higher pressure range for multiple applications: 4 - 250 PSI
- Permanently backlit in use, auto off after 10 seconds no use
- IP54 - can be used indoors and outdoors



Calibration:

4 - 250 psi / 0.3 - 17.2 bar / 30 - 1723 kPa

Battery type:

2 x AAA (Supplied)

Part No	Qty	Type	Hose Size
805230	1	Twin Hold-On	0.53 m / 21"
805233	1	Single Clip-On	0.53 m / 21"
805236	1	Twin Clip-On	1.8 m / 6 ft
805239	1	Single Clip-On	1.8 m / 6 ft

Whip Hose

0.6m (2ft) Length



- For prevention of vibration on air tools & couplings



Part No	Qty	Type	Bore	O.D
805135	1	1/4" BSPT male & standard adaptor	7 mm	14 mm
805138	1	3/8" BSPT male & standard adaptor	10 mm	17 mm
805137	1	1/2" BSPT male & 100 series adaptor	13 mm	21 mm

French Chalk Sticks

- For general marking applications including welding sheet materials



Part No	Qty	Colour
405358	144	White

Marker Pen

- Liquid paint marker
- Weather resistant for marking almost any surface



Part No	Qty	Colour	Size
895008	3	White	3mm

Tyre Tube Repair Patches



Part No	Qty	Size	Type
405351	20	45 mm o.d.	Round
405352	10	60 mm o.d.	Round
405353	5	80 mm o.d.	Round
405354	5	55 mm ²	Square

Easi-Seal 'Ultra' Pin Plugs 6mm

- For minor tread area puncture repairs in radial passenger & truck tyres



Part No	Qty
895423	40

Tyre Sealant & Instant Repair

- Permanent puncture protection for the life of the tyre for tubed & tubeless tyres
- For caravans, trailers, forklift trucks, mowers, cycles, wheel chairs & tractors



Part No	Qty	Size
895221	1	1 ltr

Marker Crayon All Surface

- Multi-purpose



Part No	Qty	Colour
895110	3	Yellow

Crayon Marker Waterproof

- Multi-purpose



Part No	Qty	Colour
405356	3	Yellow
405357	3	White

Permanent Marker

- Xylene free permanent paint marker
- Suitable for indoor & outdoor use on steel, rubber, timber, plastic & other materials



Part No	Qty	Colour	Size
940831	1	White	2.3 mm
940832	1	Yellow	2.3 mm

Vulcanizing Rubber Solution

- Rubber repair solution (cement)



Part No	Qty	Size
405355	1	10 g Tube
405205	1	250 ml Tin

Puncture Repair Kit

- Contains:**
 Vulcanising fluid (Cement), waterproof marker:
 Yellow, Patches:
 45, 60, 80 mm diameter, 55 mm square



Part No	Qty
105178	33 Piece Kit

Wax Tyre Paste Easi Lube

- Wax based bead lubricant for everyday use prior to fitting & de-mounting of tyres



Part No	Qty	Size
895422	1	5 kg

Leak Detector

- Finds punctures



Part No	Qty	Size
405207	1	1 ltr

Bead Sealer

- Seals tyre beads



Part No	Qty	Size
405208	1	1 ltr

Buffer Spray

- Pre tyre repair cleaner
- CFC free



Part No	Qty	Size
405209	1	500 ml Aerosol

Valve Mounting Tool

- Screw-on



Part No	Qty
405210	1

Wheel Weight Pliers

- Fits & removes wheel weights



Part No	Qty
405216	1

Car Wheel Chocks

- Durable rubber



Part No	Qty
405217	1 Pair

Valve Core Screwdriver

- Nickel plated
- Plastic handle
- To remove seized cores



Part No	Qty
405211	5

Tyre Paste Brush

- Wooden handle



Part No	Qty
405212	1

Tyre Patch Sticher

- For 35 mm wheel



Part No	Qty
405213	1

Rotary Mill Cutter

- 6 mm steel cutter



Part No	Qty
405214	1

Pre-Buff Cleaner

- Formulated to remove contaminants & silicone from the inner liner of the tyre prior to buffing
- Contains no ozone depleting chemicals



Part No	Qty	Size
405186	1	1 ltr

Golf Ball Buffing Stone

- 6 mm fixed shaft
- Spherical rasp



Part No	Qty
405215	1

Re-Grooving Blades



Part No	Qty	Size
405244	20	W1 (3 - 4 x 7 mm)
405245	20	W3 (6 - 8 x 10 mm)

Tyre Probe



Part No	Qty
405185	1

Brake Pipe Corrosion Tool

- 3 scraping positions for removal of grime & debris enabling detection of deteriorating or corroded brake pipes
- MOT compliant & VOSA approved
- Suitable for service maintenance & pre-MOT inspection



Part No	Qty
405222	1

Tyre Lever Bar



Part No	Qty	Size
405220	1	16"
405221	1	29"

Mounting Lubricant Brush



Part No	Qty
405188	1

Tyre Inspection Tool



Part No	Qty
405223	1

Parts Cleaning Brush

- Double ended cleaning brush with solvent resistant bristles
- Suitable for all types of water-soluble degreasing solvents
- Excellent for applying cutting oils when drilling & machining



Part No	Qty	Length
980142	1	300 mm

Valve Repair Tool 4-Way



Part No	Qty
405199	1

Tyre Valve Cores



Part No	Qty	Type
405302	25	Standard
405303	10	Long

Valve Extensions



Part No	Qty	Type	Length
405305	10	Plastic	32 mm
405304	5	Metal	22 mm

Standard Valves



Part No	Qty	Size	Type
405309	25	40 mm	Short reach
405306	25	50 mm	Short reach
405307	10	65 mm	Long reach

Tubeless Tyre Valves



Part No	Qty	Size
405243	10	48.5 mm

Tyre Valve Extensions

- Brass with caps



Part No	Qty	Length
405219	10	75 mm (3")
405255	10	110 mm (4")

Tubeless Tyre Valves For Motorcycles



Part No	Qty	Size
405189	100	33 mm

Tyre Valve Caps Plastic



Part No	Qty
405301	100

Snap-In Valve

- For light commercial vehicles



Part No	Qty	Size
405190	1	44 mm

Tyre Valve Caps Metal



Part No	Qty
405252	25

Valve Caps High Pressure

- Hexagonal



Part No	Qty
405195	100

Clamp-In Valve

- For standard alloys



Part No	Qty	Size
405191	1	42 mm

Bolt-In Valves

- For EVA safety hump rims



Part No	Qty
405192	1

- For tubeless trucks



Part No	Qty
405193	1

- With 90° bend



Part No	Qty
405194	1

Valve Extensions Metal



Part No	Qty	Length
405196	1	40 mm
405197	1	140 mm

Flexible Valve Extension Holder



Part No	Qty
405198	1

Valve Extensions Rubber



Part No	Qty	Length
405181	1	140 mm
405182	1	180 mm
405183	1	210 mm

Plastic Valve Extension



Part No	Qty	Length
405241	1	110 mm

Tyre Valves, Cores & Accessories Assorted Box

Contains:

Metal / plastic extensions, short / long cores, Short / long tubeless valves, valve tool, key clip, plastic caps



Part No	Qty
105183	115

Balance Weights Steel - Adhesive



Part No	Qty	Weight
705010	10	60g

Coated Balance Weights For Steel Wheels



Part No	Qty	Weight
705020	50	5g
705021	50	10g
705022	50	15g
705023	50	20g
705024	50	25g
705025	50	30g
705026	50	35g
705027	50	40g
705028	25	45g
705029	25	50g

Assorted Box

Sizes:
5 - 50g



Part No	Qty
105235	60

Wheel Nut Indicators Yellow



Part No	Qty	Size
405171	100	19 mm
405172	100	21 mm
405173	100	22 mm
405174	100	24 mm
405175	100	27 mm
405176	100	28 mm
405177	100	29 mm
405178	100	30 mm
405179	100	32 mm
405180	100	33 mm

Coated Balance Weights For Alloy Wheels



Part No	Qty	Weight
705040	50	5g
705041	50	10g
705042	50	15g
705043	50	20g
705044	50	25g
705045	50	30g
705046	25	35g
705047	25	40g
705048	25	45g
705049	25	50g

Assorted Box

Sizes:
5 - 40g



Part No	Qty
105237	60

Commercial Wheel Braces

- 'L' shaped two piece brace & extension sets



Part No	Qty	Size
705221	2 Piece Set	15/16" AF (24 mm)
705220	2 Piece Set	3/4" Whitworth (33 mm)
705222	2 Piece Set	27 mm

**Measuring Jugs
Clear**

- Chemical resistant
- Calibrated in ml



Part No	Qty	Size
895072	1	500 ml
895010	1	1 ltr
895011	1	2 ltr
895012	1	3 ltr
895013	1	5 ltr

**Measuring Jugs
With Flexible Spout & Lid**

- Heavy duty polyethylene



Part No	Qty	Size
895067	1	1 ltr
895068	1	2 ltr
895069	1	3 ltr
895070	1	5 ltr (1 Gallon)

Trigger Spray Applicator

- Suitable for use with solvent based chemicals



Part No	Qty	Size
895090	6	500 ml

**Round Funnels
With Removable
Flexible Spout**



Part No	Qty	Diameter
895086	1	150 mm (6")
895087	1	230 mm (9")

Measuring Jugs

- Heavy duty polypropylene



Part No	Qty	Size
895088	1	1.5 ltr
895089	1	5 ltr

**Round Funnel
With Offset Spout**



Part No	Qty	Diameter
895063	1	162 mm (6 1/2")

**Round Funnel
With Detachable
Flexible Spout**



Part No	Qty	Diameter
895064	1	162 mm (6 1/2")

Round Funnels



Part No	Qty	Diameter
895057	3	100 mm (4")
895061	3	150 mm (6")

Round Funnel Set

Sizes:
50, 75, 100, 120 mm diameter



Part No	Qty
895065	Set of 4

Rectangular Funnel

- Complete with stainless steel filter



Part No	Qty	Size
895062	1	300 mm (12")

**Drain Pan
Multi-purpose**

- High density polyethylene
- Includes oil filter drainer shelf
- Resistant to petrol, oil, diesel & solvents



Part No	Qty	Size	Diameter	Height
895050	1	5 ltr	33 cm (13")	10 cm (4")
895075	1	8 ltr	40 cm (16")	10 cm (4")

**Drain Pan
Chemical Resistant**

- Stays rigid when used with hot engine oil



Part No	Qty	Size
895020	1	14 ltr

**Oil Can
Steel Body**

- Steel pump
- Supplied with flexible spout



Part No	Qty	Size
895177	1	500 ml

**Oil Can
Polythene Body**

- Plastic pump
- Supplied with flexible metal spout



Part No	Qty	Size
895071	1	500 ml

**Hydraulic Connectors
4-Jaw**



Part No	Qty	Type
635173	5	Standard
635179	5	Heavy Duty

Hook-On Connectors



Part No	Qty	Thread
635174	3	1/8" BSP / Gas

**Swivel Connectors
Slide-On**



Part No	Qty	Thread
635175	2	1/8" BSP / Gas

**Flexible Rubber Hoses
Standard**

- 400 bar working pressure
- 900 bar burst pressure



Part No	Qty	Length	Thread
635171	3	300 mm (12")	1/8" BSP / Gas
635172	3	450 mm (18")	1/8" BSP / Gas

**Flexible Rubber Hoses
Swivel End**

- 400 bar working pressure
- 900 bar burst pressure



Part No	Qty	Length	Thread
635177	2	300 mm (12")	1/8" BSP / Gas
635178	2	450 mm (18")	1/8" BSP / Gas

**Flexible Rubber Hoses
Snap-On**

- With 4-jaw hydraulic connector
- 400 bar working pressure
- 900 bar burst pressure



Part No	Qty	Length
635176	2	300 mm (12")

**Grease Gun
Air Driven**

- Rigid stem four jaw connector
- Bulk fill or cartridge
- 120 psi, max 6 Bar



Part No	Qty
635200	1

**Grease Gun
Vacuum Pistol Grip**

- Takes 400g standard and screw thread cartridges



Part No	Qty
635272	1

Lever Grease Gun

- Side lever
- Takes cartridges or bulk grease



Part No	Qty
635180	1

**Lever Grease Gun
Heavy Duty**

- With rigid tube & four-jaw connector
- Takes cartridges (400cc) or bulk grease (500cc)



Part No	Qty
635170	1

**Grease Gun
Twin Handled**

- Dispenses 400g & 500g screw threaded or standard grease cartridges



Part No	Qty
635276	1

**Grease Gun
Vacuum Side Lever**

- Takes 400g standard and screw thread cartridges



Part No	Qty
635270	1

**Grease Nipples
Metric Straight**

Part No	Qty	Size	Pitch
635164	50	6 mm	1.00 mm
635166	50	8 mm	1.00 mm
635184	50	8 mm	1.25 mm
635168	50	10 mm	1.00 mm
635204	50	10 mm	1.50 mm

**Grease Nipples
Metric 45° Angled**

Part No	Qty	Size	Pitch
635165	50	6 mm	1.00 mm
635167	50	8 mm	1.00 mm
635182	50	8 mm	1.25 mm
635169	50	10 mm	1.00 mm
635205	50	10 mm	1.50 mm

**Grease Nipples
Metric 90° Angled**

Part No	Qty	Size	Pitch
635181	25	6 mm	1.00 mm
635189	25	8 mm	1.00 mm
635183	25	8 mm	1.25 mm
635191	25	10 mm	1.00 mm
635185	25	10 mm	1.50 mm

**Grease Nipples
Imperial Straight**

Part No	Qty	Size
635152	50	1/4" UNF
635155	50	5/16" UNF
635158	50	1/8" Gas / BSP
635161	25	1/4" Gas / BSP
635195	50	1/4" BSF
635197	50	5/16" BSF
635201	50	3/8" BSF

**Grease Nipples
Imperial 45° Angled**

Part No	Qty	Size
635153	50	1/4" UNF
635156	50	5/16" UNF
635159	50	1/8" Gas / BSP
635162	25	1/4" Gas / BSP
635196	50	1/4" BSF
635198	50	5/16" BSF
635202	50	3/8" BSF

**Grease Nipples
Imperial 90° Angled**

Part No	Qty	Size
635187	25	1/4" UNF
635186	25	1/8" Gas / BSP

**Grease Nipples
Imperial Round & Hexagon
Head Tap**

- Suits 635174 & 635175

Part No	Qty	Size
635160	50	1/8" Gas / BSP
635193	25	1/4" Gas / BSP
635163	50	3/8" BSF

**Grease Nipples
Long Straight**

Part No	Qty	Size
635154	50	1/4" UNF

**Hexagon Extension
Pieces**

Part No	Qty	Length	Size
635157	20	1 1/4"	1/8" BSP / Gas

**Assorted Box of Grease Nipples
Metric**

- Angled & Straight
- Zinc plated

Sizes:
M6 - M10

Part No	Qty
105256	135

**Assorted Box of Grease Nipples
Imperial**

- Angled & Straight
- Zinc plated

Sizes:
1/8" - 1/4" BSP & 1/4" UNF

Part No	Qty
105255	121

FOR PRO PERFORMANCE, USE THE FORCE...

FORCE

Piston Oil Pump

- Piston gear & lube oil pump
- For most 20 & 25 litre drums
- Complete with DIN 61 drum adaptor, 1.7 m hose & shut-off nozzle

Part No	Qty
635255	1



Rotary Barrel Pump

- Cast iron pump
- Dispenses higher volumes than standard lever pumps
- For lube oil & diesel fuel only
- Delivers 250 cc/rev

Part No	Qty
635259	1



Drum Pump Lever Action

- Transfers all types of light lubricants & other non corrosive fluids
- For 50 to 205 litre drums
- Steel pump body, delivery spout & telescopic suction tube
- 0.45 litre delivery per stroke
- M2" G drum connection

Part No	Qty
635252	2 Piece Set



Grease Pump High Pressure

- For mounting directly onto original grease kegs
- Equipped with cover, pump adapter, follower disc, handle & 1.5 m hose connector tube with 4-jaw hydraulic connector
- 2 cc delivery per stroke

Maximum pressure: 350 bar

Part No	Qty
635251	1 Set



Lithium Grease

- Premium quality Lithium based EP2 grease for use in all anti-friction & plain bearings subjected to high load conditions



Part No	Qty	Size
FX081160	6	500g Tins

Lithium Grease Cartridge

- Designed for use in modern constant velocity joints found on trucks, vans & cars
- The solid additives adhere to metal surfaces where required under pressure, to provide a long life lubricant film



Part No	Qty	Size
FX081158	12	400g Cartridges
FX081159	3	400g Cartridges

ADBLUE Barrel Lever Pump Manual

Part No	Qty
635281	1



ADBLUE Gravity Hose Kit

- Self assembly
- 3 mm Hose

Part No	Qty
635285	1



ADBLUE Delivery Nozzle Plastic

- 19 mm Spout
- 3/4" BSP

Part No	Qty
635283	1



Oil Suction Gun

- Galvanized zinc end caps
- 350 mm flexible hose

Part No	Qty
635190	1



Barrel Tap

- Self closing
- Aluminium die cast

Part No	Qty	Thread
895225	1	3/4" BSP



Barrel Tap

- Die cast zinc
- Lockable

Part No	Qty	Thread
895226	1	3/4" BSP



Aeroflo Tap

- Suitable for most 20 litre drums
- Self-venting for fast, smooth flow

Part No	Qty	Thread
895025	1	61 mm



Barrel Adaptor

- Polypropylene
- Converts 2" BSP threads to 2" Male Trisure threads

Part No	Qty
895680	1

